# 2021 ANNUAL MONITORING REPORT

# PETERSEN RANCH MITIGATION BANK

LEONA VALLEY, LOS ANGELES COUNTY, CALIFORNIA USACE FILE No. SPL-2012-00669-BEM CDFW TRACKING No. 1798- 2013-04-R5 RWQCB FILE No. 15-052



## Prepared for:

Interagency Review Team

#### **Bank Sponsor:**

Land Veritas Corp. 1001 Bridgeway #246 Sausalito, CA 94965 Attn: Tracey Brownfield tracey@landveritas.com

#### **Property Owners:**

LV Lake Elizabeth, LLC and LV-BP Investors Ranch, LLC 1001 Bridgeway #246 Sausalito, CA 94965 (415) 729-3734 Contact: Tracey Brownfield

#### Consultant:

WRA, Inc. 2169-G East Francisco Boulevard San Rafael, CA 94901 Attn: Nate Bello bello@wra-ca.com

WRA #21065 NOVEMBER 2021

tracey@landveritas.com



## **TABLE OF CONTENTS**

EXECUTIVE SUMMARY	ES-1
1.0 PROJECT OVERVIEW	1
1.1 Background	1
1.2 Monitoring and Reporting Tasks	5
1.3 Status Summary	5
1.4 Permit File Numbers	5
2.0 METHODS	8
2.1 California Rapid Assessment Method	8
2.2 Uniform Performance Standards	9
2.2.1 Physical and Hydrologic Monitoring	9
2.2.2 Biological Monitoring	14
2.3 Plant Survivorship	15
2.4 Photo Documentation	16
2.5 Residual Dry Matter Analysis	
2.6 Delineation Survey and Report Update	
3.0 PERFORMANCE STANDARDS	
3.1 CRAM	17
3.1.1 Enhancement Areas	17
3.1.2 Area E Munz Canyon Restoration Site	18
3.1.3 Area A Petersen Stream Restoration Site	18
3.1.4 Area A Rift Valley Wetland Restoration Site	18
3.2 Uniform Performance Standards	19
3.2.1 Enhancement Areas	19
3.2.2 Area E Munz Canyon Restoration Site	19
3.2.3 Area A Petersen Stream Restoration Site	20
3.2.4 Area A Rift Valley Wetland Restoration Site	21
3.3 Year 5 Wetland Delineation	22
4.0 RESULTS	23
4.1 CRAM Performance Monitoring	26
4.1.1 Enhancement Areas	26
4.1.2 Area E Munz Canyon Restoration Site	27
4.1.3 Area A Petersen Stream Restoration Site	28
4.1.4 Area A Rift Valley Wetland Restoration Site	
•	

4.2 Uniform Performance Standards Monitoring3	31
4.2.1 Enhancement Areas3	31
4.2.2 Area E Munz Canyon Restoration Site3	3
4.2.3 Area A Petersen Stream Restoration Site	37
4.2.4 Area A Rift Valley Wetland Restoration Site4	10
4.3 Plant Survivorship Monitoring4	12
4.4 Photo Documentation Monitoring4	12
4.5 Area E Year 5 Wetland Delineation4	12
5.0 DISCUSSION AND MANAGEMENT RECOMMENDATIONS	14
5.1 CRAM Performance Monitoring4	16
5.1.1 Enhancement Areas4	16
5.1.2 Area E Munz Canyon Restoration Site5	51
5.1.3 Area A Petersen Stream Restoration Site5	54
5.1.4 Area A Rift Valley Wetland Restoration Site5	56
5.2 UPS Performance Monitoring5	8
5.2.1 Enhancement Areas5	58
5.2.2 Area E Munz Canyon Restoration Site5	59
5.2.3 Area A Petersen Stream Restoration Site6	50
5.2.4 Area A Rift Valley Wetland Restoration Site6	51
5.3 Year 5 Delineation at Area E6	52
5.4 Interim Management Tasks6	54
5.4.1 Maintenance and Management of the Bank Properties6	54
5.4.2 Grazing Monitoring and Management6	54
5.4.3 Weed Assessment and Management6	55
5.4.4 Irrigation Schedule and Management6	6
5.4.5 Qualitative Monitoring of Aquatic Features and Restoration Areas6	6
5.4.6 Wildlife Observations6	6
5.4.7 Monitoring Around Exclusion Areas7	70
6.0 TRANSFER OF CREDITS	<b>7</b> 0
7.0 IMPLEMENTATION FEE PAYMENT STATUS7	0
8.0 ENDOWMENT FUND	1
9.0 REFERENCES	12

# LIST OF TABLES

Table 1. CRAM Modules Used at Monitoring AAs	9
Table 2: Daily Precipitation Data Sources	12
Table 3. Transect Number Changes between Development Plan and Annual Report	15
Table 4. CRAM Performance Standards for Enhancement Areas	17
Table 5. CRAM Performance Standards for the Munz Canyon Restoration Site	18
Table 6. CRAM Performance Standards for the Petersen Stream Restoration Site	18
Table 7. CRAM Performance Standards for the Rift Valley Wetland Restoration Sites	19
Table 8. UPS for Enhancement Areas	19
Table 9. UPS for the Area E Munz Canyon Restoration Site	20
Table 10. UPS for the Petersen Stream Restoration Site	21
Table 11. UPS for the Rift Valley Wetland Restoration Site	22
Table 12. Summary of CRAM and UPS Results at Area E Enhancement Areas and Restoration Sites	24
Table 13. Summary of CRAM and UPS Results at Area A Enhancement Areas and Restoration Sites	25
Table 14. Area E Enhancement Areas Year 5 CRAM Results	26
Table 15. Area A Enhancement Areas Year 4 CRAM Results	27
Table 16. Area E Munz Canyon Restoration Site Year 5 CRAM Results	27
Table 17. Area A Petersen Stream Restoration Site CRAM Year 4 Results	28
Table 18. Area A Rift Valley Wetland Restoration Year 4 CRAM Results	29
Table 19. Average Year 4 CRAM Results for Rift Valley Wetland Restoration Site AAs	30
Table 20. Area E Enhancement Area UPS Results	32
Table 21. Area A Enhancement Area UPS Results	33
Table 22. Area E Munz Canyon Restoration Site Year 5 UPS Results	36
Table 23. Area A Petersen Stream Restoration Site Year 3 UPS Results	39
Table 24. Area A Rift Valley Wetland Restoration Site Physical UPS Results	41
Table 25. Area A Rift Valley Wetland Restoration Site Hydrologic and Biological UPS Results	41
Table 26. Summary of Potential Section 404 Jurisdictional Areas for Area E (Year 5)	43
Table 27: Summary of Performance Monitoring Results	45
Table 28: Comparison of Baseline, Planned, and Post-Restoration (Year 5) Wetland and Non-Wetla Waters Acreages at Area E	
Table 29: 2021 Residual Dry Matter Results	65
Table 30. Special-Status Wildlife Species Observed at Petersen Ranch	68
Table 31. Special-Status Wildlife Species Observed at Elizabeth Lake	69

Table 32. Credit Release Schedule	70
LIST OF FIGURES	
Figure 1. Petersen Ranch Bank Property	2
Figure 2. Elizabeth Lake Bank Property	3
Figure 3. Bank Location	4
Figure 4. Restoration Site Locations in Area A	6
Figure 5. Restoration and Monitoring Site Locations in Area E	7
Figure 6. Monitoring Locations for Area A	10
Figure 7: Daily Precipitation Data Weather Stations	13
Figure 8. Munz Canyon Restoration Site Flow Monitoring	35
Figure 9. Petersen Stream Restoration Site Flow Monitoring	38
Figure 10. Minimum Depth to Groundwater for Rift Valley Restoration Site Wells (2021)	42

#### LIST OF APPENDICES

Appendix A CRAM and UPS Monitoring Data

Appendix B Plant Survivorship Data

Appendix C Photo Documentation

Appendix D Residual Dry Matter Data

Appendix E E-1 2020-2021 Precipitation Data

E-2 2015-2021 Storm Return Frequency Analysis

Appendix F Sales Ledger

Appendix G Endowment Fund

Appendix H Year 3 Delineation Update for Area A

Appendix I Flash Grazing Summary

Appendix J Groundwater Well Graphs

#### LIST OF PREPARERS

Nate Bello - Principal-in-Charge

Julie Garren - Project Director

Marlene Tyner-Valencourt - Project Manager

Matthew Schliebe – Biologist

Tyler Hanson – Botanist

Shawn Carroll - Biologist

Chris Zumwalt - GIS Analyst

Neal Jander - GIS Analyst

#### LIST OF ACRONYMS

AA CRAM Assessment Area
ANF Angeles National Forest

Bank Petersen Ranch Mitigation Bank

BEI Bank Enabling Instrument

Cal-IPC California Invasive Plant Council
CDEC California Data Exchange Network

CDFW California Department of Fish and Wildlife

CEQA California Environmental Quality Act
CESA California Endangered Species Act

CIMIS California Irrigation Management Irrigation System

CRAM California Rapid Assessment Method

CWMW California Wetland Monitoring Workgroup

EC Easement Compliance

EL Elizabeth Lake FAC Facultative

FACU Facultative Upland FACW Facultative Wetland

IMP Interim Management Plan
IRT Interagency Review Team
LTM Long-Term Management

NL Not Listed

NOAA NCEI

National Oceanic and Atmospheric Administration National Centers

for Environmental Information

OBL Obligate

OHWM Ordinary High-Water Mark

OHV Off-highway Vehicle
PR Petersen Ranch
RDM Residual Dry Matter

RWQCB Regional Water Quality Control Board

SCE Southern California Edison

UPS Uniform Performance Standards
USACE U.S. Army Corps of Engineers
USGS United States Geologic Survey

THIS PAGE INTENTIONALLY LEFT BLANK.

2021 Annual Monitoring Report November 2021

#### **EXECUTIVE SUMMARY**

This is the sixth annual report for the Petersen Ranch Mitigation Bank (Bank) as required under the terms of the Bank Enabling Instrument (BEI; WRA 2016a). This report covers the Reporting Period from November 1, 2020 through October 31, 2021. Restoration construction activities for Area A were completed in March 2017, while restoration activities for Area E were completed in 2016; thus, this report assesses the Year 4 Performance Standards for Area A and the Year 5 Performance Standards for Area E.

Ex. 4 CBI

# Ex. 4 CBI

25.00 Total Annual Precipitation (in) 20.00 15.00 10.00 5.00 0.00 2015 2016 2017 2018 2019 2020 2021 « CiMIS Palmdale 197 NCEI Lancaster **CDEC Grass Mountain** --- 30 Year Normals - Palmdale

Figure E1: Total Annual Precipitation, 2015-2021, and 30-Year Normals

#### Notes:

CDEC Grass Mountain data collection began in October 2018. Data is therefore not available from this station between 2015-2017, and the 2018 dataset is incomplete so not included here.

2021 data shown is through October 31, 2021, except for CDEC Grass Mountain, which ends on October 18, 2021

#### 1.0 PROJECT OVERVIEW

This report is the sixth annual report for the Petersen Ranch Mitigation Bank (Bank) as required under the terms of the Bank Enabling Instrument (BEI; WRA 2016a). The BEI requires annual reports be submitted to the Interagency Review Team (IRT) by November 15 of each year following Bank Establishment, while the Development Plan requires that the first report is submitted following completion of the development activities. Only Areas A and E of the Bank have been implemented. As such, this report includes information on the site conditions, development activities, performance monitoring, and credit sales in 2021 for Area A and E only. This report covers the Reporting Period from November 1, 2020 through October 31, 2021. Restoration construction activities for Area A were completed in March 2017, while restoration activities for Area E were completed in 2016; thus, this report assesses the Year 4 Performance Standards for Area A and the Year 5 Performance Standards for Area E.

## 1.1 Background


The Bank consists of two Bank Properties near Leona Valley, Los Angeles, California: the Petersen Ranch Bank Property, located to the north of Elizabeth Lake Road and encompassing portions of Portal Ridge and the San Andreas Fault Rift Zone (Figure 1) and the Elizabeth Lake (EL) Bank Property, located to the south of Elizabeth Lake Road and encompassing a portion of Elizabeth Lake (Figure 2). The Bank Properties are approximately 4,103 acres; the Petersen Ranch (PR) Bank Property consists of approximately 3,789 acres located in the Del Sur United States Geologic Survey (USGS) 7.5-minute quadrangle, and the Elizabeth Lake Bank Property consists of approximately 314 acres located in the Lake Hughes USGS 7.5-minute quadrangle. The Bank Properties are near the northern boundary of the Angeles National Forest (ANF), west of the City of Palmdale and south of Antelope Valley (Figure 3).


The Bank is further broken down into separate areas that are being implemented in phases: Phase 1 consists of Area A on the Petersen Ranch Bank Property and Area E on the Elizabeth Lake Bank Property. Only Phase 1 has been implemented, meaning that only Areas A and E have been recorded under a conservation easement and are undergoing restoration activities described in Parts II and VI of the Development Plan, respectively.


Area A is located within the southwestern portion of the Petersen Ranch Bank Property and contains two restoration sites, the Rift Valley Restoration Site and the Petersen Stream Restoration Site. This area supports many important ecological features including ephemeral stream, wetland, wetland riparian, non-wetland riparian, freshwater marsh, open water, alluvial floodplain, and California Environmental Quality Act (CEQA)-sensitive and Swainson's hawk (*Buteo swainsoni*) foraging habitat. In addition to the two restoration sites, enhancement actions are occurring in Area A through cattle exclusion surrounding select wetland habitat. A 320-acre portion of Area A has been used previously as mitigation for Southern California Edison (SCE) and has a separate conservation easement. This SCE easement is being managed as part of the Bank. The SCE easement monitoring is described in a separate monitoring report.

Area E consists of the western portion of the Elizabeth Lake Bank Property and is approximately 160 acres. Area E includes the Munz Canyon Restoration Site. This area supports alluvial floodplain, ephemeral stream, wetland riparian, non-wetland riparian, and open water habitats. Enhancement actions have occurred in Area E through cattle exclusion from wetland areas and post-fire weed control.

2021 Annual Monitoring Report November 2021







## 1.2 Monitoring and Reporting Tasks

This report describes the monitoring and reporting requirements outlined in the BEI and Development Plan for Areas A and E. This includes a description of the performance standards; the management and maintenance tasks completed this year; a description of the overall condition of the site and the status of development activities; and credit sales and status of the endowment.


## 1.3 Status Summary

Habitat restoration and enhancement activities were completed as of October 14, 2016 for Elizabeth Lake Area E and as of March 8, 2017 for Petersen Ranch Area A. Details of these activities have been described in the as-built letters sent to the IRT dated March 23, 2017 and December 5, 2016 and shown in Figure 4 and Figure 5 for Areas A and E respectively. In spring of 2017, Year 1 performance standards were not assessed in Area A because the site had not been allowed to establish for an entire growing season. Therefore, 2017 marked the first year of performance monitoring for Area E and 2018 marked the first year of performance monitoring for Area A. This year (2021) marks the fourth year of performance monitoring for Area A and the fifth year of monitoring for Area E. Both Areas A and E are now in the interim management period. The interim management period continues until the performance standards have been met and the third anniversary of the full funding of the Endowment has occurred. So far, performance standards have been met through Year 3 for Area E and Year 3 for Area A. Two more deposits are needed for both Area A and Area E for their Endowments to be fully funded.

### 1.4 Permit File Numbers

- U.S. Army Corps of Engineers Section 404 (File No. SPL-2012-00669-BEM)
- Los Angeles Regional Water Quality Control Board Section 401 Water Quality Certification (File No. 15-052)
- California Department of Fish and Wildlife (CDFW)Section 1602 Streambed Alteration Agreement (Tracking No. 1600-2015-0075-R5)





#### 2.0 METHODS

This section details the annual performance standards methodology for the performance monitoring period at both Area A and Area E. Reference sites used for evaluation of performance standards will be monitored using the same sampling methodology that is used for the restored and enhanced habitats.

The performance of mitigation activities for 404 and Porter-Cologne credits will be monitored using the California Rapid Assessment Method (CRAM) and the U.S. Army Corps of Engineers (USACE) South Pacific Division's Uniform Performance Standards (UPS) to quantitatively assess the habitats' progress towards achieving the target scores identified in the CRAM report prepared by VCS Environmental (VCS 2014). CRAM will be conducted within the same assessment areas (AAs) for the Year 3, Year 4, and Year 5 performance standards.

Due to limitations in the way CRAM is scored, there is the potential for measurable improvements in the restored habitats to not be adequately reflected in the CRAM scores. To ensure changes in enhanced habitats are captured, and measured, UPS have been established for each CRAM metric. Mitigation actions will be considered as meeting their performance standards for the USACE and Lahontan Regional Water Quality Control Board (RWQCB) when they have met both the UPS and the target CRAM scores. If the Target CRAM score is not met for any metric during years 3, 4, and 5, the UPS may be used by the USACE/Lahontan RWQCB to determine if and to what degree the restored habitats are meeting the pre-Final performance standards. Likewise, if the UPS is not met, the Target CRAM may be used. In such an event, the USACE would also make a case-by-case determination if full, partial, or no release of credits would be warranted. The Final Performance Standard will not be met until the target CRAM score has been achieved.

For 1600 and CEQA credits, performance of the mitigation activities will be based solely on meeting the UPS. The methods used for measuring UPS are discussed in the following sections.

California Endangered Species Act (CESA) credits are not assessed for performance.

## 2.1 California Rapid Assessment Method

CRAM assessments follow the approved methodology outlined in the CRAM field books (i.e., CRAM modules) developed by the California Wetland Monitoring Workgroup (CWMW). The established CRAM AAs were assessed using the same CRAM modules that were used during the baseline assessments in 2014 (VCS 2014). CRAM attribute and metric scores have inherent variability due to both natural variation between wetlands and differences in practitioner interpretation. This variability is accounted for during score interpretation by using the 90% confidence intervals outlined in the CRAM Data Quality Assurance Plan and CRAM Technical Bulletin (CWMW 2018, CWMW 2019). Each of the four attribute scores and the overall CRAM score utilize confidence intervals during score interpretation to determine if scores are truly different from one another, or if the difference in score is due to natural variability. The 90% confidence intervals are as follows: Index Score is 7 points, Buffer and Landscape Context is 4 points, Hydrology is 10 points, Physical Structure is 17 points, and Biotic Structure is 11 points (see Table 2 in CMWM 2019). In practice, this means that two Index scores would need to be at least 7 points apart to be 90% confident that one score is higher than the other (CWMW 2019). Instances where scores fall short of performance standards, but within the 90% confidence intervals will be highlighted in the discussion of those attribute scores. Table 1 summarizes the CRAM modules used to assess the Bank's CRAM AAs.

Table 1. CRAM Modules Used at Monitoring AAs

AA Site ID	CRAM Module Used
Area E Enhancement	
EL AA 12	Depressional <sup>1</sup>
EL AA 14	Riverine <sup>2</sup>
AREA E MUNZ CANYON RESTORATION SITE	
EL AA 11	Depressional <sup>1</sup>
EL AA 15	Riverine <sup>2</sup>
Area A Enhancement	
PR AA 11	Riverine <sup>2</sup>
Area A Petersen Stream Restoration Site	
PR AA 1	Riverine <sup>2</sup>
AREA A RIFT VALLEY RESTORATION	
PR AAs 3, 4, 7, 8, 10, 12, 15 & 16	Depressional <sup>1</sup>
100000000000000000000000000000000000000	

<sup>&</sup>lt;sup>1</sup>CWMW 2013a


### 2.2 Uniform Performance Standards

## 2.2.1 Physical and Hydrologic Monitoring

## **Structural Patch Types**

Physical structure was monitored in the Rift Valley Restoration Site wetlands using the structural patch type checklist in the CRAM Depressional Wetland Field Book (CWMW 2013a). In total, four reference AAs (PR AAs 2, 13, 14, and 17) and eight restoration AAs (PR AAs 3, 4, 7, 8, 10, 12, 15, and 16) were assessed using the checklist and locations of the AAs are presented in Figure 6. Reference site AA totals were averaged and compared to the average of the restoration site AAs (UPS #20).

<sup>&</sup>lt;sup>2</sup>CWMW 2013b



## **Well Monitoring**

Hydrology was monitored in the Rift Valley Restoration Site wetlands through the use of automatic data loggers installed in shallow groundwater monitoring wells (UPS #23). Groundwater wells were located along wetland restoration and wetland reference transects and installed between 3.9 and 4.2 feet in depth. Data loggers deployed in each well recorded the depth and duration of inundation at each well location. One onsite barologger, installed at transect PR08, recorded air pressure to facilitate data correction. Manual observations to validate data were periodically made throughout the monitoring season.

## <u>Ordinary High-Water Mark Indicators and Channel Formation</u>

Hydrology and sediment transport in the Area A Petersen Stream Restoration Site and the Area E Munz Canyon Restoration Site were monitored through direct observation of Ordinary High-Water Mark (OHWM) indicators along transect EL1 in Area E and transect PR2 in Area A (custom hydrologic UPS) depicted in Figure 8 and Figure 9. Permanent transects are located across the full width of the monitored resource, perpendicular to flow. Cross sections of the resource were sketched and the location of hydrogeomorphic floodplain units was identified following the procedures outlined in the Updated Datasheet for the Identification of the OHWM in the Arid West Region of the Western United States (Curtis and Lichvar 2010). Cross sections will indicate multi-thread or single thread channel formation (UPS #2). For each hydrogeomorphic floodplain unit any observed OHWM indicators were identified.

In March 2021, on-the-ground site assessments and automated drone aircraft were utilized to monitor hydrology and sediment transport within the alluvial floodplain and stream restoration sites. Drone data were cross-referenced with the on-the-ground site assessment, and good overlap was found between the two data sources. These data were then compared to 2017, 2018, 2019, and 2020 drone imagery to assess changes in site hydrology over time.

Precipitation was tracked at four weather stations from November 1, 2020 to October 31, 2021. Daily precipitation totals from each station were compared to the modeled 24-hour storm return frequencies (2-year, 5-year, 10-year storm events) used as the basis for restoration planning at both the Area A Petersen Stream Restoration Site and Area E Munz Canyon Restoration Site. The 24-hour precipitation totals associated with these return frequencies are:

2-Year: 3.4 inches5-Year: 5.1 inches


10-Year: 6.3 inches (VA Consulting 2014)

Weather stations used for this analysis are listed in Table 2 and are mapped relative to the Bank Property in Figure 7.

**Table 2: Daily Precipitation Data Sources** 

DATA SOURCE	STATION	Coordinates	Elevation (ft)
California Irrigation Management Irrigation System (CIMIS)	Station 197 – Palmdale	34.615, -118.032	2,550
National Oceanic and Atmospheric Administration (NOAA) National Centers	GHCND:USW00003159 Lancaster, CA	34.741, -118.212	2,338
for Environmental Information (NCEI)	GHCND:USC00048014 Saugus Power Plant 1, CA	34.590, -118.454	2,161
California Data Exchange Network (CDEC)	GMT – Grass Mountain	34.641, -118.414	4,626

<sup>\*</sup> Elevations within the Petersen Ranch Bank Property range from approximately 3,250 to 3,975 feet; elevations within the Elizabeth Lake Bank Property range from approximately 3,270 to 3,700 feet.



## 2.2.2 Biological Monitoring

Vegetation monitoring in the restoration and enhancement areas was conducted utilizing permanent transects. In total, there are 20 transects in Area A (PR1-PR20) and 4 transects in Area E (EL1 and EL12-EL14). Reference transects were utilized to determine the performance standards for the Area A Rift Valley Restoration Sites (PR1, PR7, PR9, PR13, and PR16). A Baseline reference transect (EL2) was assessed in Area E in order to develop performance standards for the Munz Canyon Restoration Site (EL1 and EL13). In general, transects were 50 meters in length and were sampled every 5 meters. Transects have been permanently marked in the field and GPS points recorded so that the same transects will be sampled in future years. The transect locations are depicted in Figure 5 and Figure 6.

Vegetation was monitored for cover of native species; cover of non-native invasive species; and species richness within each stratum. For all transects, invasive species are defined as those rated highly invasive by the California Invasive Plant Council (Cal-IPC 2020). These results were used to determine the species richness, cover of natives, and cover of invasive species for each restoration site and enhancement areas based on the performance standards described in Section 3.2.

Transects were sampled using either quadrats or belt plots.

Wetland Quadrat Sampling: A 1-meter quadrat was placed every 5 meters along 50-meter long vegetation monitoring transects within wetland restoration areas. Species and cover class<sup>1</sup> were recorded within each quadrat in order to calculate average absolute cover for native and non-native invasive species; average relative cover of non-native invasive species (when applicable); and total native species richness. A photograph was taken of each quadrat. Two transects were sampled differently than this general protocol:

- Transect PR15 is in an area where the restored wetland habitat is only 40 meters in width; as such,
   7 quadrats were sampled from meter 15 to meter 45.
- Transect EL1 is 250 meters long and quadrats were placed every 5 meters.

Riparian Belt Plot Sampling: The Area A riparian planting area (PR 8), the Area A Enhancement Area (PR 17 and PR 18), and the Area E Enhancement Area (EL 11, EL 12, and EL 14) transects were sampled using a belt plot instead of quadrats. These 50-meter transects were assessed using 2.5 meter by 5 meter plots, resulting in 10 sampling plots per transect. Species and cover class<sup>1</sup> were recorded within each belt plot in order to assess performance standards, including absolute cover for native and non-native, invasive species, relative cover of non-native, invasive species, and native species richness values.

In addition to assessing vegetation coverage using transects, wetland areas were traversed on foot and areas of dead vegetation, or other indicators of an unsuccessful establishment, were noted on field maps or handheld GPS devices to direct replanting or other management efforts for these areas.

Three transects originally detailed in the Development Plan (PR Transects 17, 22, and 25 of Area A) have been removed from regular sampling activities. The removal of transect PR17 shifted the transect numbers for later transects. Thus, transect PR21 is now transect PR20, PR20 is now PR19, PR19 is now PR18, and PR18 is now PR17 (Table 3). In addition, prefixes have been added to transect numbers to facilitate understanding of their location. Transects within Area A have been given prefix PR, and those within Area E have been given prefix EL.

-

<sup>&</sup>lt;sup>1</sup> Cover classes are as follows: 0=<1%, 1=1-5%, 2=5-25%, 3=25-50%, 4=50-75%, 5=75-95%, 6=95-100%

Table 3. Transect Number Changes between Development Plan and Annual Report

Site	Transect Nui Development plan	MBER, AS LISTED IN THE: ANNUAL REPORT	Purpose
Area A	1	PR1	Wetland reference
Area A	2	PR2	Stream restoration
Area A	3 15	PR3 PR15	Wetland restoration
Area A	16	PR16	Wetland reference
Area A	17	N/A	Enhancement
Area A	18	PR17	Enhancement
Area A	19	PR18	Enhancement
Area A	20	PR19	Wetland restoration
Area A	21	PR20	Wetland restoration
Area A	22	N/A	Preservation
Area A	25	N/A	Preservation

In 2019, Area E Enhancement performance standards were also assessed at an additional transect, EL11. In 2020, it was discovered that this transect overlays a preservation area, not an enhancement area. As performance along this transect is not representative of performance in enhancement areas, it was excluded from the 2020 and 2021 enhancement area performance analysis. Additionally, because there are no performance standards for preservation areas, data collected at this transect cannot be measured against any standards. The data were collected using the belt plot sampling method and are presented here to facilitate interannual comparison between results at consistent monitoring locations throughout the performance monitoring period.

In 2021, two new transects were placed and assessed for performance, one in the Area E Enhancement Area (EL14) and one in the Area E Munz Canyon Restoration Site (EL13). In previous years, these areas were assessed using one transect each. The two new transects were added in each area to facilitate greater sampling power and improve the ability of annual monitoring efforts to capture representative on-site conditions. Additionally, the enhancement areas have followed unequal recovery trajectories following the 2013 Powerhouse Fire, and EL14 was placed in an area that has recovered more strongly compared to the area sampled by EL12. The two Area E Enhancement Area transects now cover a more representative area over which to assess performance.

## 2.3 Plant Survivorship

Plant survivorship was determined for each woody species within the wetland and non-wetland riparian planting areas. Individual dead plants were tallied, and the total number of surviving plants was calculated by subtracting the number of observed dead from the total number installed for each species, not including individuals that have been replaced. Percent survivorship was then calculated by dividing the

total number of surviving plants by the total number installed for each species, not including individuals that have been replaced. Plant survivorship estimates only occur in riparian and shrub plantings; due to their growth forms, it is not feasible to count individual herbaceous plants.

#### 2.4 Photo Documentation

Visual records document changes in the Bank Property during the monitoring period. Pre-construction, post-construction, and initial planting photo documentation has been completed, and annual monitoring photo documentation is underway to show progression of Bank habitats. Photopoints established pre-construction will continue to be used throughout the monitoring period to create consistent photographic documentation of the changes within the Bank Property. Photopoint locations were recorded with a GPS device and mapped to indicate the location and direction of photos taken at these locations, as shown in Figure 5 and Figure 6.

## 2.5 Residual Dry Matter Analysis

Residual dry matter (RDM) was assessed to determine whether pastures were overgrazed. Slope, aspect, and utilization were considered when selecting representative sampling points. A minimum of three samples were taken per pasture, with additional samples taken based on the number of areas of distinct forage height observed. At each point a 0.96-square foot circle was clipped, and weighed. These samples were then used to estimate pounds per acre of residual dry matter across grazed pastures in Area A and Area E.

## 2.6 Delineation Survey and Report Update

Site-wide delineations are required in Year 3 and Year 5 of the performance monitoring period for each Area of the Bank. The results will be presented in updated delineation reports for Areas A and E, which will be reviewed and approved by the IRT. These interim delineation assessments will be used to determine the amount of successful aquatic restoration implemented. The IRT will use this delineation to adjust the amount of credits generated by the Bank, up or down, to reflect the successful acreage amount.

A delineation was completed for Area E in 2019 (Year 3) and was conducted again in 2021 (Year 5). A delineation was completed in Area A in 2020 (Year 3) and will be conducted again in 2022 (Year 5). The methods used to delineate jurisdictional wetlands and waters within Area E and Area A were based on the U.S. Army Corps of Engineers Wetlands Delineation Manual ("Corps Manual"; Environmental Laboratory 1987) and the Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region ("Arid West Supplement"; USACE 2008). The routine method for wetland delineation described in the Corps Manual was used to identify areas potentially subject to USACE Section 404 jurisdiction.

The results of the Area E 2021 (Year 5) delineation are presented in an updated delineation report submitted as Appendix H and summarized in Section 4.5.

## 3.0 PERFORMANCE STANDARDS

Performance standards vary by resource and monitoring methodology, and are presented below. For the 2021 annual monitoring period, Area E was compared to its Year 5 performance standards and Area A to its Year 4 performance standards

#### **3.1 CRAM**

#### 3.1.1 Enhancement Areas

CRAM assessments were completed at the Area E and Area A Enhancement Area starting in Year 3. CRAM AAs and modules used to assess the AAs are summarized in Table 1. Performance standards for the three AAs are listed below (Table 4). Petersen Ranch AA #11 was moved approximately 100 meters upstream prior to the Year 3 assessment to avoid a depressional wetland located within the original AA boundary. Transitions between wetland types and hydrogeomorphic breaks should be used to establish AA boundaries and should never be included within an AA (CWMW 2013).

**Table 4. CRAM Performance Standards for Enhancement Areas** 

Metric/Submetric		YEAR 1	YEAR 2	YEAR 8	YEAR 4	YEAR5	FINAL
Elizabeth Lake AA #12: Post-Fire Ma							
Buffer and Landscape Contexta,b		NA	NA	65	65	65	65
Hydrology		NA	NA	41	41	41	41
Physical Structure		NA	NA	63	63	63	63
Biotic Structure		NA	NA	67	92	92	92
	Overall	NA	NA	60	66	66	66
Elizabeth Lake AA #14 Post-Fire Ma							
Buffer and Landscape Context <sup>a,c</sup>		NA	NA	90	90	90	90
Hydrology		NA	NA	92	92	92	92
Physical Structure		NA	NA	75	75	75	75
Biotic Structure		NA	NA	53	78	89	89
	Overall	NA	NA	78	84	87	87
Petersen Ronch AA #11. Cottle Exclu							
Buffer and Landscape Context <sup>a,d</sup>		NA	NA	93	93	100	100
Hydrology		NA	NA	75	75	75	75
Physical Structure		NA	NA	63	63	63	63
Biotic Structure		NA	NA	81	97	100	100
	Overall	NA	NA	78	82	85	85

<sup>&</sup>lt;sup>a</sup> Due to its calculation method, it is not possible to achieve the Buffer and Landscape Context Attribute Target Scores included in the Development Plan given any permutation of submetric scores; therefore, these attribute scores have been corrected as noted to ensure scores are attainable given submetric values.

<sup>&</sup>lt;sup>b</sup> Attribute Scores of 67 were corrected to 65

<sup>&</sup>lt;sup>c</sup> Attribute Scores of 92 were corrected to 90

<sup>&</sup>lt;sup>d</sup> Attribute Scores of 92 were corrected to 93

## 3.1.2 Area E Munz Canyon Restoration Site

CRAM assessments were completed at the Area E Munz Canyon Restoration Site starting in Year 3. CRAM AAs and modules used to assess the AAs are summarized in Table 1.. Performance standards for the two AAs are listed below (Table 5).

Table 5. CRAM Performance Standards for the Munz Canyon Restoration Site

Metric/Submetric	YEAR 1	YEAR 2	Year 3	Year 4	YEAR 5	FINAL
Buffer and Landscape Context <sup>a,b</sup>	NA	NA	90	90	90	90
Hydrology	NA	NA	92	92	92	92
Physical Structure	NA	NA	63	70	75	75
Biotic Structure	NA	NA	61	70	78	78
Overall	NA	NA	78	81	85	85

<sup>&</sup>lt;sup>a</sup> Due to its calculation method, it is not possible to achieve the Buffer and Landscape Context Attribute Target Scores included in the Development Plan given any permutation of submetric scores; therefore, these attribute scores have been corrected to ensure scores are attainable given submetric values.

#### 3.1.3 Area A Petersen Stream Restoration Site

CRAM assessments were completed at the Petersen Stream Restoration Site starting in Year 3. The CRAM AA and modules used to assess the AA are summarized in Table 1. Performance standards for the AA are listed below (Table 6).

Table 6. CRAM Performance Standards for the Petersen Stream Restoration Site

METRIC/SUBMETRIC	YEAR I	YEAR 2	YEAR 3	YEAR 4	YEAR 5	FINAL
Buffer and Landscape Context <sup>a,b</sup>	NA	NA	84	84	84	84
Hydrology	NA	NA	67	67	67	67
Physical Structure	NA	NA	63	70	75	75
Biotic Structure	NA	NA	61	70	78	78
Overall	NA	NA	69	73	76	76

<sup>&</sup>lt;sup>a</sup> Due to its calculation method, it is not possible to achieve the Buffer and Landscape Context Attribute Target Scores included in the Development Plan given any permutation of submetric scores; therefore, these attribute scores have been corrected as noted to ensure scores are attainable given submetric values.

## 3.1.4 Area A Rift Valley Wetland Restoration Site

CRAM assessments were completed at the Rift Valley Wetland Restoration Site starting in Year 3. The CRAM AAs and modules used to assess the AAs are summarized in Table 1. Performance standards for the AAs are listed below (Table 7).

<sup>&</sup>lt;sup>b</sup> Attribute Scores of 92 were corrected to 90.

<sup>&</sup>lt;sup>b</sup> Attribute Scores of 83 were corrected to 84

Table 7. CRAM Performance Standards for the Rift Valley Wetland Restoration Sites

Metric/Submetric	Year 1	Year 2	Year 3	YEAR 4	YEAR 5	FINAL
Buffer and Landscape Context	NA	NA	75	75	75	75
Hydrology	NA	NA	83	83	83	83
Physical Structure	NA	NA	50	55	63	63
Biotic Structure	NA	NA	67	72	78	78
Overall	NA	NA	67	72	75	75

#### 3.2 Uniform Performance Standards

Enhancement areas were monitored for attainment of performance standards summarized in Table 8. Restoration areas within Area E and Area A were monitored for attainment of performance standards summarized in Tables 9, 10, and 11. Assessment areas and transect locations are shown in Figure 5 and Figure 6.

#### 3.2.1 Enhancement Areas

Transects EL12 and EL14 were used to assess Area E Enhancement UPS. Transects PR17 and PR18 were used to assess Area A Enhancement UPS. Target UPS for Enhancement Areas are presented below. (Table 8).

**Table 8. UPS for Enhancement Areas** 

Түре	UPS	Year L Year Z	YEAR 3 YEAR 4	YEAR 5 FINAL
Biological	UPS #28	Cover of native species will	Cover of native	Cover of native
	Dominance of	be at least 20% absolute	species will be at	species will be at
	Natives	cover.	least 30% absolute	least 60% absolute
			cover.	cover.
	UPS #29			
	Dominance of Exotics <sup>1</sup>	Absolute cover of non-native,	invasive species will be :	≤ 10%.
	UPS #31	Number of native species will l	be <u>≥</u> 9.	
	Species Richness			

<sup>&</sup>lt;sup>1</sup> "Invasive" defined as species rated as highly invasive by Cal-IPC (2020)

## 3.2.2 Area E Munz Canyon Restoration Site

The performance of the Munz Canyon Restoration Site is based upon an on-site reference upstream of the former dam for hydrological, physical, and biological conditions. Transects EL1 and EL13 were used to assess the Munz Canyon Restoration Site. Performance standards are shown in Table 9.

Table 9. UPS for the Area E Munz Canyon Restoration Site

Туре	Uniform Performance Standard	Year 1	Year 2	Year 3	Year 4	Year 5	FINAL		
Physical	UPS #2	The mitigation retains or increases stream stability and does not cause site, upstream, or downstream excessive erosion or aggradation. Specifically: Overall channel form should not indicate a consistent trajectory indicating a transition from a multi-thread to a single thread channel form.							
Hydrologic	Custom	Field indicators of Ordinary High Water and distinct hydrogeomorphic floodplain units will be documented within the alluvial floodplain.							
Biological	UPS #28 Dominance of Natives	Native species will be ≥ 5% absolute cover. ≥50% of this native cover will be shrubs.	Native species will be ≥ 10% absolute cover. ≥50% of this native cover will be shrubs.	Cover of native species will be at least 20% absolute cover. ≥50% of this native cover will be shrubs.	Cover of native species will be at least 30% absolute cover. ≥50% of this native cover will be shrubs.	Cover of native species will be at least 50% absolute cover. ≥50% of this native cover will be shrubs.	Cover of native species will be at least 50% absolute cover. ≥50% of this native cover will be shrubs.		
	UPS #29 Dominance of Exotics <sup>1, 2</sup>	Relative cover of non-native, invasive species will be 0%.							
	UPS #31 Species Richness	Number of native species in planting areas will be ≥ 14 species.							

¹ Excluding non-native annual grasses listed as highly invasive by Cal-IPC (2020), which will be ≤ 10% cover.

## 3.2.3 Area A Petersen Stream Restoration Site

The performance of the Petersen Stream Restoration Site is based on monitoring for appropriate hydrological, physical and biological characteristics of the re-established and rehabilitated areas at the restoration site. Transect PR2 was monitored to measure Petersen Stream UPS. Performance standards for this site are detailed in Table 10.

<sup>&</sup>lt;sup>2</sup> "Invasive" defined as species rated as highly invasive by Cal-IPC (2020)

Table 10. UPS for the Petersen Stream Restoration Site

Туре	Uniform Performance Standard	Year 1	Year 2	Year 3	YEAR 4	YEAR 5	Final	
Physical	UPS #2	The mitigation retains or increases stream stability and does not cause site, upstream, or downstream excessive erosion or aggradation. Specifically:  Overall channel form should not indicate a consistent trajectory indicating a transition from a multi-thread to a single thread channel form.						
Hydrologic	Custom	Field indicators of Ordinary High Water and distinct hydrogeomorphic floodplain units will be documented within the alluvial floodplain.						
Biological	UPS #28 Dominance of Natives	Native species will be at least 5% absolute cover.	Native species will be at least 10% absolute cover.	Native species will be at least 20% absolute cover.	Native species will be at least 30% absolute cover.	Native species will be at least 50% absolute cover.	Native species will be at least 50% absolute cover.	
	UPS #29 Dominance of Exotics <sup>1,2</sup>	Relative cover of non-native, invasive species will be 0%.						
	UPS #29 Dominance of Exotics <sup>1,2</sup>	Relative cover of non-native, invasive grass species will be 10%.						
	UPS #31 Species Richness	Number of native species in planting areas will be ≥ 14 species.						

<sup>&</sup>lt;sup>1</sup> Excluding non-native annual grasses listed as highly invasive by Cal-IPC (2020), which will be  $\leq 10\%$  cover.

# 3.2.4 Area A Rift Valley Wetland Restoration Site

The performance of the Rift Valley Wetland Restoration Site is based on monitoring for appropriate hydrological, physical, and biological characteristics within the rehabilitation areas. Table 11 summarizes the uniform performance standards for the Lower Pond, Upper Pond, Pond A through Pond G, and the Wetland Restoration Site (Figure 4). The wetland restoration transects within Rift Valley (PR3, PR4, PR5, PR6, PR8, PR10, PR11, PR12, PR14, PR16, PR19 and PR20) were assessed to measure Rift Valley UPS. Transects PR1, PR7, PR9, PR13, and PR15 are reference sites for Rift Valley UPS assessment.

<sup>&</sup>lt;sup>2</sup> "Invasive" defined as species rated as highly invasive by Cal-IPC (2020)

Table 11. UPS for the Rift Valley Wetland Restoration Site

Type	UPS	Year 1	Year 2	YEAR 3	YEAR 4	Year 5 Final		
Physical	UPS #20	Must contain ≥25% of the structural patch types found at selected refere site.	≥50% n struct the types	contain of the ural patch found at the ed reference	Must contain ≥75% of the structural patch types found at the selected reference site.	Must contain ≥90% of the structural patch types found at the selected reference site.		
Hydrologic	UPS #23	The Bank Sponsor shall ensure that the depth to groundwater is within the range of reference wetland conditions.						
Biological	UPS #28 Dominance of Natives	cover of continue of cover of	absolute over of pative pecies will be at least 25% of eference ite cover.	Absolute cover of native species will be at least 50% of reference site cover.	Absolute cover of native species will be at least 60% of reference site cover.	Absolute cover of native species will be at least 75% reference site cover.		
	UPS #29 Dominance of Exotics	Relative cover of non-native, invasive species will be $\leq$ the reference site.						
	UPS #31 Species Richness	Number of native species in planting areas will be ≥ 75% of the reference site.						

<sup>&</sup>lt;sup>1</sup> "Invasive" defined as species rated as highly invasive by Cal-IPC (2020)

#### 3.3 Year 5 Wetland Delineation

Section VII.A.1.e.iii of the BEI states that a "submittal of a Waters of the U.S. jurisdictional determination and delineation for the Bank Property by the Bank Sponsor to the USACE" is required in order to achieve approval of the fifth credit release. As described in Part I, Section 6.1.4 of the BEI Development Plan, the IRT "will use this delineation to adjust the amount of credits generated by the Bank, up or down, to reflect the successful acreage amount."

A delineation of wetland and non-wetland waters for Area E was completed in 2019 during its Year 3 annual monitoring period, the results of which were presented in the 2019 annual monitoring report, and a delineation for Area A was completed in 2020 during its Year 3 annual monitoring period, the results of which were presented in the 2020 annual monitoring report.

A delineation of wetland and non-wetland waters potentially jurisdictional under Section 404 of the Clean Water Act was completed at Area E this year, which is in Year 5 of monitoring. The results are summarized in Section 4.5 and the full report is included as Appendix H.

# Ex. 4 CBI
















































































Table 30. Special-Status Wildlife Species Observed at Petersen Ranch

Scientific Name	COMMON NAME	Status
Accipiter cooperii	Cooper's hawk	CDFW Watch List
Accipiter striatus	Sharp-shinned hawk	CDFW Watch List
Agelaius tricolor	Tricolored blackbird	State Threatened
		CDFW Species of Special Concern
		USFWS Birds of Conservation Concern
Anniella sp.	California legless lizard	CDFW Species of Special Concern
Antrozous pallidus	Pallid bat	CDFW Species of Special Concern
		WBWG High Priority
Aspidoscelis tigris stejnegeri	Coastal whiptail	CDFW Species of Special Concern
Athene cunicularia	Burrowing owl	CDFW Species of Special Concern
		USFWS Birds of Conservation Concern
Baeolophus inornatus	Oak titmouse	USFWS Birds of Conservation Concern
Bombus crotchii	Crotch's bumble bee	CDFW Candidate Under Review
Branchinecta lynchi	Vernal pool fairy shrimp	USFWS Threatened
Buteo regalis	Ferruginous hawk	CDFW Watch List
		USFWS Birds of Conservation Concern
Buteo swainsoni	Swainson's hawk	State Threatened
		USFWS Birds of Conservation Concern
Chaetura vauxi	Vaux's swift	CDFW Species of Special Concern
Circus hudsonius	Northern harrier	CDFW Species of Special Concern
Elanus leucurus	White-tailed kite	CDFW Fully Protected
Emys marmorata	Western pond turtle	CDFW Species of Special Concern
Empidonax traillii	Willow flycatcher	State Endangered
		USFWS Birds of Conservation Concern
Falco mexicanus	Prairie falcon	CDFW Watch List
		USFWS Birds of Conservation Concern
Falcon peregrinus	Peregrine falcon	CDFW Fully Protected
		USFWS Birds of Conservation Concern
Haliaeetus leucocephalus	Bald eagle	Federal Delisted
		State Endangered
		CDFW Fully Protected
		USFWS Birds of Conservation Concern

Table 30. Special-Status Wildlife Species Observed at Petersen Ranch (continued)

Scientific Name	Common Name	Status
Lanius Iudovicianus	Loggerhead shrike	CDFW Species of Special Concern
		USFWS Birds of Conservation Concern
Lasionycteris noctivagans	Silver-haired bat	WBWG Medium Priority
Lasiurus cinereus	Hoary bat	WBWG Medium Priority
Lepus californicus bennettii	San Diego black-tailed jackrabbit	CDFW Species of Special Concern
Myotis ciliolabrum	Western small-footed myotis	WBWG Medium Priority
Myotis yumanensis	Yuma myotis	WBWG Low-Medium Priority
Pelecanus erythrorhynchos	American white pelican	CDFW Species of Special Concern
Phrynosoma blainvillii	Coast horned lizard	CDFW Species of Special Concern
Picoides nuttallii	Nuttall's woodpecker	USFWS Birds of Conservation Concern
Spinus lawrencei	Lawrence's goldfinch	USFWS Birds of Conservation Concern

Table 31. Special-Status Wildlife Species Observed at Elizabeth Lake

Scientific Name	Common Name	Status
Accipiter cooperii	Cooper's hawk	CDFW Watch List
Accipiter striatus	Sharp-shinned Hawk	CDFW Watch List
Aspidoscelis tigris stejnegeri	Coastal whiptail	CDFW Species of Special Concern
Baeolophus inornatus	Oak titmouse	USFWS Birds of Conservation Concern
Bombus crotchii	Crotch's bumble bee	CDFW Candidate Under Review
Calypte costae	Costa's hummingbird	USFWS Birds of Conservation Concern
Elanus leucurus	White-tailed kite	CDFW Fully Protected
Emys marmorata	Western pond turtle	CDFW Species of Special Concern
Lanius Iudovicianus	Loggerhead shrike	CDFW Species of Special Concern
		USFWS Birds of Conservation Concern
Phrynosoma blainvillii	Coast horned lizard	CDFW Species of Special Concern
Picoides nuttallii	Nuttall's woodpecker	USFWS Birds of Conservation Concern
Puma concolor	Mountain Lion	State Candidate
Selasphorus sasin	Allen's hummingbird	USFWS Birds of Conservation Concern
Spinus lawrencei	Lawrence's goldfinch	USFWS Birds of Conservation Concern
Spizella atrogularis	Black-chinned sparrow	USFWS Birds of Conservation Concern

#### 5.4.7 Monitoring Around Exclusion Areas

There are several small exclusion areas within Area A of the Petersen Ranch Property but are Not A Part of the Bank Property (Figure 1). While the Area A conservation easement does not include these areas, certain monitoring and management actions will be conducted in lands immediately adjacent to these areas to ensure the Bank's resources are protected from any adverse edge effects. This monitoring will include assessment of social trails, erosion, vegetation disturbance, trash, vandalism, runoff, invasive species, fire hazard, and non-permitted uses such as off-highway vehicle use (OHV), out of season hunting, and outdoor fires. No change in land uses that could result in adverse edge effects were observed in 2021.

#### **6.0 TRANSFER OF CREDITS**

Appendix F contains the credit transfer ledger through November 1, 2021, which shows all credits transferred since the bank establishment date and includes an accounting of all remaining credits.

#### 7.0 IMPLEMENTATION FEE PAYMENT STATUS

The credit release schedule and status of each release is summarized in Table 32. Each CDFW-approved credit release is contingent upon payment of the Implementation Fee to CDFW. The third credit release for Area E was approved by CDFW in August 2020 and the third credit release for Area A was approved by CDFW in April 2021. The Implementation Fees associated with the first three credit releases have been paid.

**Table 32. Credit Release Schedule** 

Credit Release	MAXIMUM PERCENTAGE OF CREDITS RELEASED	MAXIMUM CUMULATIVE CREDITS RELEASED	CREDITS RELEASED?
1	15%	15%	Yes
2	25%	40%	Yes
3	15%	55%	Yes
4	15%	70%	No
5	15%	85%	No
Final	15%	100%	No

#### 8.0 ENDOWMENT FUND

Area A and Area E each have two endowments, the Easement Compliance (EC) Endowment and the Long-Term Management (LTM) Endowment. The EC Endowments are intended to cover the costs associated with monitoring and reporting of the conservation easement, and was fully funded up front for both Area A and Area E. The LTM Endowments are intended to cover the cost of long-term management of the Bank's habitats and infrastructure in perpetuity.

Area A: Per Exhibits D-2 and D-3 of the BEI, the SCE easement endowment was rolled into the Area A EC and LTM Endowments. The EC was funded in full on December 30, 2014 with a deposit of \$\[ \frac{\mathbb{Ex. 4 CBI}}{\mathbb{Ex. 4 CBI}} \] from the Bank Sponsor. The current balance of the Area A EC Endowment is \[ \frac{\mathbb{Ex. 4 CBI}}{\mathbb{CBI}} \] The LTM Endowment was started with a \[ \frac{\mathbb{Ex. 4 CBI}}{\mathbb{Ex. 4 CBI}} \] deposit from SCE on December 30, 2014. The Bank Sponsor made a first deposit of \[ \frac{\mathbb{Ex. 4 CBI}}{\mathbb{Ex. 4 CBI}} \] on February 7, 2018, and a second deposit of \[ \frac{\mathbb{Ex. 4 CBI}}{\mathbb{CBI}} \] on March 30, 2021. The current balance of the Area A LTM Endowment is \[ \frac{\mathbb{Ex. 4 CBI}}{\mathbb{Ex. 4 CBI}} \]

Area E: The Area E EC Endowment of Ex. 4 CBI was funded in full on April 29, 2016. The current balance of the EC Endowment is Ex. 4 CBI A first deposit of Ex. 4 CBI was made to the LTM Endowment on February 7, 2019. A second deposit of Ex. 4 CBI was made to the LTM Endowment on July 10, 2020. The balance on the LTM Endowment financial statement is Ex. 4 CBI

Accounting for the two endowments is shown in Appendix G.

#### 9.0 REFERENCES

Cal-IPC 2020 California Invasive Plant Council, 2020. The California Invasive Plant Council Inventory. California Invasive Plant Council, Berkeley, CA. Available online: http://www.cal-ipc.org/ip/inventory/index.php. Accessed: June 2020. Calflora 2020 Calflora: Information on California plants for education, research and conservation, with data contributed by public and private institutions and individuals, including the Consortium of California Herbaria. [web application]. 2020. Berkeley, California: The Calflora Database [a non-profit organization]. Available: https://www.calflora.org/ (Accessed: Sep 25, 2020). CNDDB 2021 California Department of Fish and Wildlife. (2021). California Natural Diversity Database (CNDDB). Accessed September 2021. Curtis and Lichvar 2010 Curtis KE and RW Lichvar. 2010. Updated Datasheet for the Identification of the Ordinary High Water Mark (OHWM) in the Arid West Region of the Western United States. U.S. Army Corps of Engineers Cold Regions Research and Engineering Laboratory, Publication EDDC/CRREL TN-10-1. CWMW 2013a California Wetlands Monitoring Workgroup. 2013a. Depressional Wetlands Field Book, Version 6.1. February 2013. CWMW 2013b California Wetlands Monitoring Workgroup. 2013b. Riverine Wetlands Field Book, Version 6.1. January 2013. **CWMW 2015** California Wetlands Monitoring Workgroup. 2015. California Rapid Assessment Method, Episodic Riverine User's Manual and Field Book, Version 1.0. December 2015. **CWMW** California Wetland Monitoring Workgroup. 2018. Data Quality Assurance Plan, California Rapid Assessment Method for Wetlands, Version 7 -October 2018. CWMW 2019 California Wetlands Monitoring Workgroup. 2019. Using the California Rapid Assessment Method (CRAM) for Project Assessment as an Element of Regulatory, Grant, and other Management Programs, Technical Bulletin -Version 2.0., 85 pp. September 2019. CWMW 2021 California Wetlands Monitoring Workgroup (CWMW). EcoAtlas. Accessed [September 2021]. https://www.ecoatlas.org. Environmental Corps of Engineers Wetlands Delineation Manual. Department of the Army, Laboratory 1987 Waterways Experiment Station, Vicksburg, Mississippi 39180-0631.

USACE 2008	U.S. Army Corps of Engineers. 2008. Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region (Version 2.0). September.
Google Earth 2021	Google Earth Pro V 7.3.3.7786. (May 24, 2013). Imagery Landsat/Copernicus. (Accessed October 2021).
WRA 2013	WRA, Inc. 2013. Biological Resource Inventory. Petersen Ranch, Leona Valley, Los Angeles County, California. March 2013.
WRA 2012	WRA, Inc. 2012. Biological Resources Inventory Report, Proposed Elizabeth Lake Mitigation/Conservation Bank, Los Angeles County, California. July 2012.
WRA 2016a	WRA, Inc. 2016a. Petersen Ranch Mitigation Bank Enabling Instrument. Executed 11 May 2016.
WRA 2016b	WRA, Inc. 2016b. Petersen Ranch Mitigation Bank Interim Management Plan. Los Angeles County, California. March 2016
WRA 2019	WRA, Inc. 2019. Delineation of Waters of the U.S. Jurisdictional Areas Year 3 Update for Area E. Los Angeles County, California. November 2019
VA Consulting 2014	VA Consulting, Inc. 2014. Petersen Ranch Mitigation Bank Preliminary Engineering Report. Prepared for Land Veritas, January 29, 2014
VCS 2014	VCS Environmental. 2014. Evaluation of Riverine and Depressional Wetlands using the California Rapid Assessment Method (CRAM) for the Petersen Mitigation Bank. Prepared for Land Veritas Corp, September 2014.





### Basic Information Sheet: Depressional Wetlands

Assessment Area Name: AA *1\ (LE - AA\)
Project Name: PRMB - Avea E
Assessment Area ID #:
Project ID #: Date: 6/L/21
Assessment Team Members for This AA
Schliebe; Batick
AA Category:
☐ Pre-Restoration ☐ Post-Mitigation ☐ Post-Mitigation
□ Pre-Impact
□ Reference □ Other:
Origin of Wetland (if known):
X Natural system   Artificial system
Type of Management (if known):
□ waterfowl/birds □ amphibians □ general wildlife □ sediment □ water quality □ stormwater
□ water supply (agriculture) □ water supply (livestock) □ not managed ≥ other: veg management
Which best describes the type of depressional wetland?
□ freshwater marsh □ alkaline marsh □ brackish marsh
Bother (specify): riparian woodland
AA Encompasses:
Which best describes the hydrologic state of the wetland at the time of assessment?
☐ ponded/inundated ☐ saturated soil, but no surface water ☑ dry
What is the apparent hydrologic regime of the wetland?
Perennially flooded systems contain surface water year-round, seasonally flooded depressional wetlands are defined as supporting surface water for 4-11 months of the year (in > 5 out of 10 years.) Temporarily flooded depressional wetlands possess surface water between 2 weeks and 4 months of the year.
☐ perennially flooded ☐ seasonally flooded ☑ temporarily flooded

Does your wetland connect with the floodplain of a nearby stream?   yes   no  (system subject to overbank flow, a dammed stream does not count)							
Does	Does the wetland have a defined on undefined outlet?   ☐ defined  ☐ undefined						
Does	the wetland	have a defined o	n undefined <u>inlet</u> ?	☐ defined	💆 undefined		
Are th	ne inlet and	outlet at the same	e location?	□ yes	⊠no		
Is the	topographi	c basin of the we	tland 🗆 distinct o	or 🗵 indistinct ?			
		_	that lacks obvious boal, depressional wetla		wetland and upland, radient landscapes.		
		ion Numbers and	l Description: oking toward the centroi	d of AA			
	Photo ID No.	Description	Latitude	Longitude	Datum		
1		(to) North					
2		(to) East					
3		(to) South	- 4				
4		(to) West					
5							
6							
7							
8							
9			<del></del> ,				
10							
Site L	ocation Des	cription and Lan	d Use:				
		•		hand Alat a form	dagagaina		
At encompasses a riparian area; historically an orchard. Not a true depression,							
Potentially fed from groundwater.							
Comments:							

### Scoring Sheet: Depressional Wetlands

AA Name: Date:						
Attribute 1: Buffer and Lan	dscape	Context	(pp. 8-1	5)	Comments	
Arountic Area Abundance Sc	ore (TV		Alpha.	Numeric		
Aquatic Area Abundance Score (D)			6	ga.716°6		
Buffer:		13.7				
Buffer submetric A:	Alpha.	Numeric				
Percent of AA with Buffer	A	12_			}00°%	
Buffer submetric B: Average Buffer Width	A-	12			\$50.ad	
Buffer submetric C: Buffer Condition	ß	9			NU grasser > 250%	
Raw Attribute Score	= D+[	Cx(Ax)	B) <sup>15</sup> ] <sup>15</sup>	16,39	Final Attribute Score = (Raw Score/24) x 100	68
Attribute 2: Hydrology (pp	. 16-21)		<del></del>	7		
			Alpha.	1		
Water Source			<u>A</u>	17		
Hydroperiod			A	12_		
Hydrologic Connectivity			LA	12		
Raw Attribute Score = sum of numeric s			cores	ÜL	Final Attribute Score = (Raw Score/36) x 100	100
Attribute 3: Physical Struct	ure (pp	. 22-28)	·	<b>T</b>		
			Alpha.	Numeric		
Structural Patch Richness		<u> </u>	6	5		
Topographic Complexity				6	n/cm	c
Raw Attribute Score = s	ım of n	umeric s	cores	12.	Final Attribute Score =	50
Attribute 4: Biotic Structur	e (pp. 2	9-39)		***************************************		
Plant Community Composition	<del></del>	~~~~~~~~~~		L-C)		
Plant Community submetric A:	Alpha. Ü	Numeric 9			2 1.04	
Number of plant layers  Plant Community submetric B:  Number of Co-dominant species	A	12			I Ø	i
Plant Community submetric C: Percent Invasion	ß	9			160 = 20° %	
Plant Communi (numeric a		position N submetrics		ΙÒ		
Horizontal Interspersion			A	72-		8
Vertical Biotic Structure			19	q		
Raw Attribute Score = st	ım of n	umeric s		31	Final Attribute Score = (Raw Score/36) x 100	86
Overall AA Score (average	ge of for	ır final At	tribute S	cores)	(75)	


#### Worksheet for Aquatic Area Abundance Metric (Method 1)

Percentage of Transect Lines that Contains Aquatic Area of Any Kind				
Segment Direction Percentage of Transect Length				
	That is an Aquatic Feature			
North	240/6			
South	520/6			
East	31018			
West	12.06			
Average Percentage of Transect Length That Is an Aquatic Feature	29:75°6			

\* Some as last year

#### Percent of AA with Buffer Worksheet.

In the space provided below make a quick sketch of the AA, or perform the assessment directly on the aerial imagery; indicate where buffer is present, estimate the percentage of the AA perimeter providing buffer functions, and record the estimate amount in the space provided.



Worksheet for calculating average buffer width of AA

Line	Buffer Width (m)
A	245
В	245 250
C	1
D	
E	
F	
G	
Н	V
Average Buffer Width  *Round to the nearest whole number (integer)*	~250m


### Structural Patch Type Worksheet for Depressional Wetlands

Check each type of patch that is observed in the AA and use the total number of observed patches in Table 15.

STRUCTURAL PATCH TYPE (circle for presence)	Depressional	
Minimum Patch Size	3 m <sup>2</sup>	
Abundant wrack or organic debris in channel, on floodplain, or across depressional wetland plain	×	
Animal mounds and burrows	X	
Bank slumps or undercut banks in channels or along shoreline  Cobbles and Boulders		N
Concentric or parallel high water marks		, T.
Filamentous macroalgae or algal mats	<b></b>	N
Islands (mostly above high-water)	<b> </b>	N
Large woody debris	X	
Non-vegetated flats or bare ground (sandflats, mudflats, gravel flats, etc.)	,	Ч
Open water		N
Plant hummocks and/or sediment mounds		N
Soil cracks		12
Standing snag(s) (1 or more at least 3 m tall)	<u>×</u>	N
Submerged vegetation	<b> </b>	2 7
Swales on floodplain or along shoreline Variegated, convoluted, or crenulated foreshore		1~
(instead of broadly arcuate or mostly straight)	7	
Woody vegetation in water		N
Total Possible	47	`
No. Observed Patch Types (enter here and use in Table 15 below)	5	

#### Worksheet for AA Topographic Complexity

At two locations in the AA, make a sketch of the profile from the AA boundary to AA boundary. Try to capture the major topographic features, slopes and intervening micro-topographic relief. Based on these sketches and the profiles in Figure 7, choose a description in Table 17 that best describes the overall topographic complexity of the AA.



## Plant Community Metric Worksheet 2 of 8: Co-dominant species richness (A dominant species represents ≥10% relative cover)


\* Combine the counts of co-dominant species from all layers to identify the total species count. Each plant species is only counted once when calculating the Number of Co-dominant Species and Percent Invasion submetric scores, regardless of the numbers of layers in which it occurs.

Floating of Canopy-forming	Invasive?	Short (<0.5 m)	Invasivė?
		JON MEX	Les es de la latin de latin de latin de la
		BRO DIA	Y
		BRO TEC	Ÿ
		SIS ALT	``
1 Medium (0.5 – 1.5 m)	Invasive?	Tall (1.5 + 3.0 m)	Invasivė?
ART DRA			
EYMUS TRI(?) /			
·			
			CATANA O NATU PARKU
Very Tall (≥3.0 m)	Invasive?		
POP FRE		Total number of co-dominant	
SAN NIG		species for all layers combined (enter here and use in Table 19)	10
		Percent Invasion	
SAL LAS		*Round to the nearest	
SAL LAE		whole number (integer)*	2/10 = 200%
SITE LATE		(enter here and use in Table 19)	

SAM SAL LAS

#### Horizontal Interspersion Worksheet

Use the spaces below to make a sketch of the AA in plan view, outlining the major plant zones (this should take no longer than 10 minutes). Assign names to the zones and record them on the right. Based on the sketch, choose a single profile from Figure 8 that best represents the AA overall.



#### Wetland disturbances and conversions Worksheet

Has a major disturbance occurred at this wetland?	Yes		No			£
If yes, was it a flood, fire, landslide, or other?	flood		fire	lan	ıdslide	other
If yes, then how severe is the disturbance?	likely to affect site next 5 or more years		likely to affect site next 3-5 years		likely to affect site next 1-2 years	
	depressiona	al	vernal pool			nal pool ystem
Has this wetland been converted from	non-confine	ed	confined		bar-built	
another type? If yes, then what was the	riverine		riverine		estuarine	
previous type?	perennial		perenni	al		
previous type;	saline		non-salii	ne	wet	meadow
	estuarine		estuarin	e		
	lacustrine		seep or sp	ring		playa

#### Stressor Checklist Worksheet

HYDROLOGY ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA	
Point Source (PS) discharges (POTW, other non-stormwater			
discharge)			
Non-point Source (Non-PS) discharges (urban runoff, farm			
drainage)			
Flow diversions or unnatural inflows			
Dams (reservoirs, detention basins, recharge basins)			
Flow obstructions (culverts, paved stream crossings)			
Weir/drop structure, tide gates			
Dredged inlet/channel			
Engineered channel (riprap, armored channel bank, bed)			
Dike/levees		-	
Groundwater extraction			
Ditches (borrow, agricultural drainage, mosquito control, etc.)			
Actively managed hydrology			
Comments			

PHYSICAL STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Filling or dumping of sediment or soils (N/A for restoration		
ateas)		
Grading/ compaction (N/A for restoration areas)		
Plowing/Discing (N/A for restoration areas)		
Resource extraction (sediment, gravel, oil and/or gas)		
Vegetation management		
Excessive sediment or organic debris from watershed		
Excessive runoff from watershed		
Nutrient impaired (PS or Non-PS pollution)		
Heavy metal impaired (PS or Non-PS pollution)		
Pesticides or trace organics impaired (PS or Non-PS pollution)		
Bacteria and pathogens impaired (PS or Non-PS pollution)		
Trash or refuse		
Comments		
	***************************************	***************************************
	3000. 4000001. 4000000000000. 400.3000000000000000000	00000000000000000000000000000000000000

Present	Significant negative effect on AA
Х	

BUFFER AND LANDSCAPE CONTEXT ATTRIBUTE (WITHIN 500 M OF AA)	Present	Significant negative effect on AA
Urban residential		
Industrial/commercial		
Military training/Air traffic		
Dams (or other major flow regulation or disruption)	* 40- MOODONOOOOOOOOOOO	
Dryland farming	,	
Intensive row-crop agriculture		
Orchards/nurseries		
Commercial feedlots		
Dairies		
Ranching (enclosed livestock grazing or horse paddock or		
feedlot)	4.00000000	
Transportation corridor	*	
Rangeland (livestock rangeland also managed for native		
vegetation)		
Sports fields and urban parklands (golf courses, soccer fields, etc.)		
Passive recreation (bird-watching, hiking, etc.)	-	
Active recreation (off-road vehicles, mountain biking, hunting,		
fishing)		
Physical resource extraction (rock, sediment, oil/gas)		
Biological tesource extraction (aquaculture, commercial fisheries)		
Comments		
	necondering the second	
	A	

### Basic Information Sheet: Depressional Wetlands

Assessment Area Name: AA +1/2 (LE-AA/2)								
Project Name: PRMB - Area E								
Assessment Area ID #:								
Project ID #:   Date: 6/2/2								
Assessment Team Members for This AA								
Schliebe, Bativle								
AA Category:								
☐ Pre-Restoration ☐ Post-Restoration ☐ Pre-Mitigation ☐ Post-Mitigation								
□ Pre-Impact								
□ Reference □ Other:								
Origin of Wetland (if known):								
□ Natural system								
Type of Management (if known):								
□ waterfowl/birds □ amphibians □ general wildlife □ sediment □ water quality □ stormwater								
□ water supply (agriculture) □ water supply (livestock) □ not managed 🕫 other: Veg Management								
Which best describes the type of depressional wetland?								
又other (specify): "open water"								
AA Encompasses:								
n entire wetland □ portion of the wetland								
Which best describes the hydrologic state of the wetland at the time of assessment?								
☐ ponded/inundated ☐ saturated soil, but no surface water								
What is the apparent hydrologic regime of the wetland?								
Perennially flooded systems contain surface water year-round, seasonally flooded depressional wetlands are defined as supporting surface water for 4-11 months of the year (in > 5 out of 10 years.) Temporarily flooded depressional wetlands possess surface water between 2 weeks and 4 months of the year.								
□ perennially flooded □ seasonally flooded □ temporarily flooded								

			n undefined <u>outlet</u> ?	<b>/</b> \	undefined			
Does the wetland have a defined on undefined inlet?   ✓ defined undefined  Are the inlet and outlet at the same location?   □ ves   ⋈ no								
				□ yes	₽ no			
Is the topographic basin of the wetland \( \times \) distinct or \( \times \) indistinct?  An indistinct topographic basin is one that lacks obvious boundaries between wetland and upland. Examples of such features are seasonal, depressional wetlands in very low-gradient landscapes.  Photo Identification Numbers and Description:								
Photo	os should be taket	n from edge of AA lo	oking toward the centroid	l of AA				
	Photo ID No.	Description	Latitude	Longitude	Datum			
1		(to) North						
2		(to) East		9.9 30000 9.0000000000000000000000000000				
3		(to) South						
4		(to) West						
5			700000000000000000000000000000000000000					
6								
7		200000000000000000000000000000000000000						
8								
9				18. 18. 18. 18. 18. 18. 18. 18. 18. 18.				
10				***************************************	·			
<b>Com</b> Now	iments:	_	imagery on Oot 20	ot(				

#### Percent of AA with Buffer Worksheet.

In the space provided below make a quick sketch of the AA, or perform the assessment directly on the aerial imagery; indicate where buffer is present, estimate the percentage of the AA perimeter providing buffer functions, and record the estimate amount in the space provided.

#### Structural Patch Type Worksheet for Depressional Wetlands

Check each type of patch that is observed in the AA and use the total number of observed patches in Table 15.

#### Worksheet for AA Topographic Complexity

At two locations in the AA, make a sketch of the profile from the AA boundary to AA boundary. Try to capture the major topographic features, slopes and intervening micro-topographic relief. Based on these sketches and the profiles in Figure 7, choose a description in Table 17 that best describes the overall topographic complexity of the AA.

### Plant Community Metric Worksheet 2 of 8: Co-dominant species richness (A dominant species represents ≥10% relative cover)

\* Combine the counts of co-dominant species from all layers to identify the total species count. Each plant species is only counted once when calculating the Number of Co-dominant Species and Percent Invasion submetric scores, regardless of the numbers of layers in which it occurs.

#### Horizontal Interspersion Worksheet

Use the spaces below to make a sketch of the AA in plan view, outlining the major plant zones (this should take no longer than 10 minutes). Assign names to the zones and record them on the right. Based on the sketch, choose a single profile from Figure 8 that best represents the AA overall.

# Ex. 4 CBI

#### Wetland disturbances and conversions Worksheet

Has a major disturbance occurred at this wetland?	Yes	No	de la companya de la		, Y 5
If yes, was it a flood, fire, landslide, or other?	flood	fire	lan	ıdslide	Other
If yes, then how severe is the disturbance?	affect site next 5 or more years	likely to affect site next 3-5 years		likely to affect site next 1-2 years	
	depressional	vernal pool			nal pool ystem
Has this wetland been converted from	non-confined riverine	confine riverine			ır-built tuarine
another type? If yes, then what was the previous type?	perennial saline estuarine	perennial non-saline wet r estuarine		meadow	
	lacustrine	seep or sp	ring		playa

#### Stressor Checklist Worksheet

HYDROLOGY ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Point Source (PS) discharges (POTW, other non-stormwater		
discharge)		
Non-point Source (Non-PS) discharges (urban runoff, farm		
drainage)	Х	
Flow diversions or unnatural inflows		
Dams (reservoirs, detention basins, recharge basins)		
Flow obstructions (culverts, paved stream crossings)	X	
Weir/drop structure, tide gates		
Dredged inlet/channel		
Engineered channel (riprap, armored channel bank, bed)		
Dike/levees		
Groundwater extraction		
Ditches (borrow, agricultural drainage, mosquito control, etc.)		
Actively managed hydrology	?	
Comments	30000000000000000000000000000000000000	

PHYSICAL STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Filling or dumping of sediment or soils (N/A for restoration		
areas)		
Grading/ compaction (N/A for restoration areas)	,	
Plowing/Discing (N/A for restoration areas)		
Resource extraction (sediment, gravel, oil and/or gas)		
Vegetation management		
Excessive sediment or organic debris from watershed		
Excessive runoff from watershed		
Nutrient impaired (PS or Non-PS pollution)		
Heavy metal impaired (PS or Non-PS pollution)		
Pesticides or trace organics impaired (PS or Non-PS pollution)		
Bacteria and pathogens impaired (PS or Non-PS pollution)	3 <b>3 3 1 1</b>	
Trash or refuse		
Comments	:	_
		***************************************

BIOTIC STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Mowing, grazing, excessive herbivory (within AA)		
Excessive human visitation		
Predation and habitat destruction by non-native vertebrates (e.g., Virginia opassum and domestic predators, such as feral pets)		
Tree cutting/sapling removal		
Removal of woody debris		
Treatment of non-native and nuisance plant species	Х	
Pesticide application or vector control		
Biological resource extraction or stocking (fisheries, aquaculture)		
Excessive organic debris in matrix (for vernal pools)		
Lack of vegetation management to conserve natural resources		
Lack of treatment of invasive plants adjacent to AA or buffer	X	
Comments		
	,	

BUFFER AND LANDSCAPE CONTEXT ATTRIBUTE (WITHIN 500 M OF AA)	Present	Significant negative effect on AA
Urban residential		
Industrial/commercial		
Military training/Air traffic		
Dams (or other major flow regulation or disruption)		
Dryland farming		
Intensive row-crop agriculture		
Orchards/nurseries		
Commercial feedlots		
Dairies		
Ranching (enclosed livestock grazing or horse paddock or		
feedlot)	v	
Transportation corridor	×	×
Rangeland (livestock rangeland also managed for native		
vegetation)	<u> </u>	
Sports fields and urban parklands (golf courses, soccer fields, etc.)		
Passive recreation (bird-watching, hiking, etc.)	_	
Active recreation (off-road vehicles, mountain biking, hunting,		
fishing)		
Physical resource extraction (rock, sediment, oil/gas)		
Biological resource extraction (aquaculture, commercial fisheries)		
Comments		

### **Basic Information Sheet: Riverine Wetlands**

Assessment Area Name: AA "Ith (LE- AAIH)
Project Name: PRMB - Area E
Assessment Area ID #:
Project ID #: Date: 6/2/21
Assessment Team Members for This AA:
Matt S.; Scott B.
Average Bankfull Width:
Approximate Length of AA (10 times bankfull width, min 100 m, max 200 m):
Upstream Point Latitude: Longitude:
Downstream Point Latitude: Longitude:
Wetland Sub-type:
☐ Confined
AA Category:
□ Restoration ☑ Mitigation □ Impacted □ Ambient □ Reference □ Training
Other;
Did the river/stream have flowing water at the time of the assessment?   yes   no
What is the apparent hydrologic flow regime of the reach you are assessing?
The hydrologic flow regime of a stream describes the frequency with which the channel conducts water. Perennial streams conduct water all year long, whereas ephemeral streams conduct water only during and immediately following precipitation events. Intermittent streams are dry for part of the year, but conduct water for periods longer than ephemeral streams, as a function of watershed size and water source.
☐ perennial ☐ intermittent 反 ephemeral

	Photo ID	Description	Latitude	Longitude	Datum
	No.				
		Upstream			
		Middle Left			
'		Middle Right		***************************************	
		Downstream			
			, , ,		
	•		<u>.</u>		
0					
	Location Des	scription:			•
	Location Des	scription:			
te I	Location Des	scription:			
te I		cription:			



#### Percent of AA with Buffer Worksheet

In the space provided below make a quick sketch of the AA, or perform the assessment directly on the aerial imagery; indicate where buffer is present, estimate the percentage of the AA perimeter providing buffer functions, and record the estimate amount in the space provided.

#### Structural Patch Type Worksheet for Riverine wetlands

Circle each type of patch that is observed in the AA and enter the total number of observed patches in Table below. In the case of riverine wetlands, their status as confined or non-confined must first be determined (see page 6) to determine with patches are expected in the system (indicated by a "1" in the table below). Any feature onsite should only be counted once as a patch type. If a feature appears to meet the definition of more than one patch type (i.e., swale and secondary channel) the practitioner should choose which patch type best illustrates the feature. Not all features at a site will be patch types.

\*Please refer to the CRAM Photo Dictionary at numerammetlands org for photos of each of the following Ex. 4 CBI

#### Worksheet for AA Topographic Complexity

At three locations along the AA, make a sketch of the profile of the stream from the AA boundary down to its deepest area then back out to the other AA boundary. Try to capture the benches and the intervening micro-topographic relief. To maintain consistency, make drawings at each of the stream hydrologic connectivity measurements, always facing downstream. Include the water level, an arrow at the bankfull contour, and label the benches. Based on these sketches and the profiles in Figure 10, choose a description in Table 16 that best describes the overall topographic complexity of the AA.

### Plant Community Metric Worksheet: Co-dominant species richness for Riverine wetlands (A dominant species represents ≥10% relative cover)

Special Note:

\* Combine the counts of co-dominant species from all layers to identify the total species count. Each plant species is only counted once when calculating the Number of Co-dominant Species and Percent Invasion submetric scores, regardless of the numbers of layers in which it occurs.

#### Horizontal Interspersion Worksheet.

Use the spaces below to make a quick sketch of the AA in plan view, outlining the major plant zones (this should take no longer than 10 minutes). Assign the zones names and record them on the right. Based on the sketch, choose a single profile from Figure 12 that best represents the AA overall.

# Ex. 4 CBI

#### Worksheet for Wetland disturbances and conversions

Has a major disturbance occurred at this wetland?	Yes	No.			grifferens.
If yes, was it a flood, fire, landslide, or other?	flood	fire	lands	slide	Other
If yes, then how severe is the disturbance?	likely to affect site next 5 o more years	r) site next 3		site	y to affect next 1-2 years
	depressiona	l vernal po	ool		nal pool ystem
Has this wetland been converted from another type? If yes, then what was the	non-confine	d confine	_		asonal tuarine
previous type?	perennial salis estuarine	ne perennial r saline estua		wet	meadow
	lacustrine	seep or sp	ring		playa

### Stressor Checklist Worksheet

HYDROLOGY ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Point Source (PS) discharges (POTW, other non-stormwater discharge)	X	
Non-point Source (Non-PS) discharges (urban runoff, farm drainage)		
Flow diversions or unnatural inflows		
Dams (reservoirs, detention basins, recharge basins)		
Flow obstructions (culverts, paved stream crossings)	X	
Weir/drop structure, tide gates		
Dredged inlet/channel		***************************************
Engineered channel (riprap, armored channel bank, bed)		
Dike/levees		
Groundwater extraction		
Ditches (borrow, agricultural drainage, mosquito control, etc.)		
Actively managed hydrology		
Comments		
		***
		,

PHYSICAL STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Filling or dumping of sediment or soils (N/A for restoration areas)		
Grading/ compaction (N/A for restoration areas)		
Plowing/Discing (N/A for restoration areas)		
Resource extraction (sediment, gravel, oil and/or gas)		
Vegetation management	0000009*0017	
Excessive sediment or organic debris from watershed		
Excessive runoff from watershed		
Nutrient impaired (PS or Non-PS pollution)		
Heavy metal impaired (PS or Non-PS pollution)		
Pesticides or trace organics impaired (PS or Non-PS pollution)		
Bacteria and pathogens impaired (PS or Non-PS pollution)		
Trash or refuse		
Comments	<u> </u>	
		***************************************


BIOTIC STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Mowing, grazing, excessive herbivory (within AA)		
Excessive human visitation		
Predation and habitat destruction by non-native vertebrates (e.g., Virginia opossum and domestic predators, such as feral pets)	·	
Tree cutting/sapling removal	·	
Removal of woody debris		
Treatment of non-native and nuisance plant species	X	
Pesticide application or vector control		
Biological resource extraction or stocking (fisheries, aquaculture)		
Excessive organic debris in matrix (for vernal pools)		
Lack of vegetation management to conserve natural resources		
Lack of treatment of invasive plants adjacent to AA or buffer	<u>X</u>	X
Comments	· · · · · · · · · · · · · · · · · · ·	3
***		
	'	
	······································	

BUFFER AND LANDSCAPE CONTEXT ATTRIBUTE (WITHIN 500 M OF AA)	Present	Significant negative effect on AA
Urban residential		
Industrial/commercial		
Military training/Air traffic		
Dams (or other major flow regulation or disruption)		
Dryland farming		
Intensive row-crop agriculture		
Orchards/nurseries		•
Commercial feedlots		,
Dairies		
Ranching (enclosed livestock grazing or horse paddock or feedlot)	×	
Transportation corridor	×	
Rangeland (livestock rangeland also managed for native vegetation)		· · · · · · · · · · · · · · · · · · ·
Sports fields and urban parklands (golf courses, soccer fields, etc.)		
Passive recreation (bird-watching, hiking, etc.)		
Active recreation (off-road vehicles, mountain biking, hunting, fishing)		
Physical resource extraction (rock, sediment, oil/gas)	,	
Biological resource extraction (aquaculture, commercial fisheries)		
Comments		0000000A000000000000000000000000000000
	***************************************	
	onnonnen annonne ann annone a	M-99000

### **Basic Information Sheet: Riverine Wetlands**

Assessment Area Name: AA *15 (LE-AAIS)
Project Name: PRMB - Area E
Assessment Area ID #:
Project ID #: Date: 6/2/2\
Assessment Team Members for This AA:
Schliebe, Batiok
Average Bankfull Width:
Approximate Length of AA (10 times bankfull width, min 100 m, max 200 m):
Upstream Point Latitude: 3시,66시86시 Longitude: -11명, 시기 695
Downstream Point Latitude: 34.665659 Longitude: -118.422216
Wetland Sub-type:
□ Confined 🖾 Non-confined
AA Category:
☐ Restoration ☑ Mitigation ☐ Impacted ☐ Ambient ☐ Reference ☐ Training
□ Other:
Did the river/stream have flowing water at the time of the assessment?   yes   no
What is the apparent hydrologic flow regime of the reach you are assessing?
The hydrologic flow regime of a stream describes the frequency with which the channel conducts water. Perennial streams conduct water all year long, whereas ephemeral streams conduct water only during and immediately following precipitation events. Intermittent streams are dry for part of the year, but conduct water for periods longer than ephemeral streams, as a function of watershed size and water source.
☐ perennial ☐ intermittent ☐ ephemeral

oto Identific Photo II	Description	Latitude	Longitude	Datum
No.	1			
	Upstream	***************************************		
	Middle Left		***************************************	
	Middle Right			
	Downstream			
		***************************************		
	Description:			
mments:				



#### Worksheet for Stream Corridor Continuity Metric for Riverine Wetlands

Lengths of Non-buffer Segments For Distance of 500 m Upstream of AA		Lengths of Non-buffer Segments For Distance of 500 m Downstream of AA	
Segment No.	Length (m)	Segment No.	Length (m)
1		1	
2		2	
3		3	
4		4	
5		5	
Upstream Total Length		Downstream Total Length	·

#### Percent of AA with Buffer Worksheet

In the space provided below make a quick sketch of the AA, or perform the assessment directly on the aerial imagery; indicate where buffer is present, estimate the percentage of the AA perimeter providing buffer functions, and record the estimate amount in the space provided.

#### Structural Patch Type Worksheet for Riverine wetlands

Circle each type of patch that is observed in the AA and enter the total number of observed patches in Table below. In the case of riverine wetlands, their status as confined or non-confined must first be determined (see page 6) to determine with patches are expected in the system (indicated by a "1" in the table below). Any feature onsite should only be counted once as a patch type. If a feature appears to meet the definition of more than one patch type (i.e. swale and secondary channel) the practitioner should choose which patch type best illustrates the feature. Not all features at a site will be patch types.

BI
<b>JUI</b>

#### Worksheet for AA Topographic Complexity

At three locations along the AA, make a sketch of the profile of the stream from the AA boundary down to its deepest area then back out to the other AA boundary. Try to capture the benches and the intervening micro-topographic relief. To maintain consistency, make drawings at each of the stream hydrologic connectivity measurements, always facing downstream. Include the water level, an arrow at the bankfull contour, and label the benches. Based on these sketches and the profiles in Figure 10, choose a description in Table 16 that best describes the overall topographic complexity of the AA.

### Plant Community Metric Worksheet: Co-dominant species richness for Riverine wetlands (A dominant species represents ≥10% relative cover)

#### Special Note:

\* Combine the counts of co-dominant species from all layers to identify the total species count. Each plant species is only counted once when calculating the Number of Co-dominant Species and Percent Invasion submetric scores, regardless of the numbers of layers in which it occurs.

#### Horizontal Interspersion Worksheet.

Use the spaces below to make a quick sketch of the AA in plan view, outlining the major plant zones (this should take no longer than 10 minutes). Assign the zones names and record them on the right. Based on the sketch, choose a single profile from Figure 12 that best represents the AA overall.

# Ex. 4 CBI

#### Worksheet for Wetland disturbances and conversions

Has a major disturbance occurred at this wetland?	Yes	No	the bridge time the filters	*	en de la companie de La companie de la co
If yes, was it a flood, fire, landslide, or other?	flood	fire	land	dslide	other
If yes, then how severe is the disturbance?	likely to affe site next 5 o more years	or site next :		site	y to affect next 1-2 years
100000000000000000000000000000000000000	depressiona	ıl vernal po	ool		nal pool ystem
Has this wetland been converted from another type? If yes, then what was the	non-confine riverine	ed confine			easonal tuarine
previous type?	perennial sali estuarine	ne perennial saline estu	1	wet	meadow
	lacustrine	seep or sp	ring		playa

### Stressor Checklist Worksheet

HYDROLOGY ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Point Source (PS) discharges (POTW, other non-stormwater discharge)	~~	
Non-point Source (Non-PS) discharges (urban runoff, farm drainage)		
Flow diversions or unnatural inflows		
Dams (reservoirs, detention basins, recharge basins)	X	
Flow obstructions (culverts, paved stream crossings)		
Weir/drop structure, tide gates	,	
Dredged inlet/channel		
Engineered channel (riprap, armored channel bank, bed)		
Dike/levees		
Groundwater extraction		
Ditches (borrow, agricultural drainage, mosquito control, etc.)		
Actively managed hydrology		
Comments		
	4	

PHYSICAL STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Filling or dumping of sediment or soils (N/A for restoration areas)		
Grading/ compaction (N/A for restoration areas)		
Plowing/Discing (N/A for restoration areas)	<del></del>	
Resource extraction (sediment, gravel, oil and/or gas)		
Vegetation management	Χ.	
Excessive sediment or organic debris from watershed		
Excessive runoff from watershed	44 000 00000000000000000000000000000000	
Nutrient impaired (PS or Non-PS pollution)		
Heavy metal impaired (PS or Non-PS pollution)		
Pesticides or trace organics impaired (PS or Non-PS pollution)		
Bacteria and pathogens impaired (PS or Non-PS pollution)		
Trash or refuse		
Comments		
	4.6.40000000000000000000000000000000000	
	W. A. M.	

Present	Significant negative effect on AA
,	
X	
<u></u>	
	Present

BUFFER AND LANDSCAPE CONTEXT ATTRIBUTE (WITHIN 500 M OF AA)	Present	Significant negative effect on AA
Urban residential	***************************************	
Industrial/commercial		
Military training/Air traffic		
Dams (or other major flow regulation or disruption)		
Dryland farming		
Intensive row-crop agriculture		
Orchards/nurseries		
Commercial feedlots		
Dairies		
Ranching (enclosed livestock grazing or horse paddock or feedlot)		
Transportation corridor		
Rangeland (livestock rangeland also managed for native vegetation)		
Sports fields and urban parklands (golf courses, soccer fields, etc.)		
Passive recreation (bird-watching, hiking, etc.)	***************************************	
Active recreation (off-road vehicles, mountain biking, hunting, fishing)		
Physical resource extraction (rock, sediment, oil/gas)		
Biological resource extraction (aquaculture, commercial fisheries)		
Comments		

Project	and Site ID:	AA	#2
Date: _			
Staff: _	MS + 3B		
Photo:	<b>#</b> .		

Entered 6/19/21

#### Structural Patch Type Worksheet for Depressional Wetlands

Check each type of patch that is observed in the AA and use the total number of observed patches in Table 15.

Project an	nd Site ID:	PRMB	AA#14
Date:	, , ,		
Staff:	MS+SC		
Dhoto #			

entered blistal mcs

#### Structural Patch Type Worksheet for Depressional Wetlands

Check each type of patch that is observed in the AA and use the total number of observed patches in Table 15.

Project	and Site ID: _	PRMB	PR-AAM
Date: _	6(1/21		
Staff: _	MS + 3C		
Photo #	ŧ:		

entered 6/16/21

MLS


#### Structural Patch Type Worksheet for Depressional Wetlands

Check each type of patch that is observed in the AA and use the total number of observed patches in Table 15.

### Basic Information Sheet: Depressional Wetlands

Assessment Area Nam		3	
	1B - Area A		
Assessment Area ID #		D-4 6/-1	
Project ID #:		Date: 6/3/4	
Assessment Team Mer	nbers for This AA		
Schliebe; Batio	K		
AA Category:			
☐ Pre-Restoration	7 Post Postoration	☐ Pre-Mitigation	☐ Post-Mitigation
E Pre-Restoration	Post-Restoration	□ Fie-Mugadon	. Tost-Mingadon
□ Pre-Impact	□ Post-Impact	□ Training	□ Ambient
□ Reference	□ Other:		
Origin of Wetland (if	known):		
□ Natural system	□ Artificial system		
Type of Managemen	t (if known):		
□ waterfowl/birds □ a	mphibians 🗆 general w	rildlife 🗆 sediment 🗆 🕆	water quality 🗆 stormwater
□ water supply (agricul	ture) 🗆 water supply (liv	vestock) 🗆 not manago	ed □other:
Which best describes	the type of depression	nal wetland?	
🗷 freshwater marsh	□ alkaline mars	h 🗆 brackish i	marsh
□ other (specify):			
AA Encompasses:			
□ entire	e wetland paper	ortion of the wetland	
Which best describes	the hydrologic state of	of the wetland at the	time of assessment?
☐ ponded/inunc	lated	l soil, but no surface w	ater 🗆 dry
What is the apparent	hydrologic regime of	the wetland?	
wetlands are defined as	ns contain surface water s supporting surface wat led depressional wetlands	er for 4-11 months of	the year (in > 5 out of 10
□ perennially flooded	⊠ seasonally floo	oded 🗆 tempor	arily flooded

Doe	s the wetland	have a defined or	n undefined outlet	? 🛘 defined	☑ undefined
Does the wetland have a defined on undefined inlet?				☐ defined	undefined
					ki mideimed
Are the inlet and outlet at the same location?				□ yes	⊠ no
Is th	e topographi	c basin of the wet	land 🛭 🖟 distinct	or 🗆 indistinct?	
			hat lacks obvious b ll, depressional wetl		wetland and upland. adient landscapes.
		ion Numbers and In from edge of AA loo	Description: king toward the centrol	id of AA	
	Photo ID No.	Description	Latitude	Longitude	Datum
1		(to) North			
2		(to) East	1	·	
3		(to) South			
4		(to) West			
5					
6			***************************************		
7					
8		200000000000000000000000000000000000000			
9		7 - 300000000000000000000000000000000000			
10					
Locke Com	d pending as . ments:		ome romnant dried	algae among wetlo	



#### Percent of AA with Buffer Worksheet.

In the space provided below make a quick sketch of the AA, or perform the assessment directly on the aerial imagery; indicate where buffer is present, estimate the percentage of the AA perimeter providing buffer functions, and record the estimate amount in the space provided.

Line Buffer Width (m)

#### Structural Patch Type Worksheet for Depressional Wetlands

Check each type of patch that is observed in the AA and use the total number of observed patches in Table 15.

### Worksheet for AA Topographic Complexity

At two locations in the AA, make a sketch of the profile from the AA boundary to AA boundary. Try to capture the major topographic features, slopes and intervening micro-topographic relief. Based on these sketches and the profiles in Figure 7, choose a description in Table 17 that best describes the overall topographic complexity of the AA.

### Plant Community Metric Worksheet 2 of 8: Co-dominant species richness (A dominant species represents ≥10% relative cover)

\* Combine the counts of co-dominant species from all layers to identify the total species count. Each plant species is only counted once when calculating the Number of Co-dominant Species and Percent Invasion submetric scores, regardless of the numbers of layers in which it occurs.

### Horizontal Interspersion Worksheet

Use the spaces below to make a sketch of the AA in plan view, outlining the major plant zones (this should take no longer than 10 minutes). Assign names to the zones and record them on the right. Based on the sketch, choose a single profile from Figure 8 that best represents the AA overall.

## Ex. 4 CBI

#### Wetland disturbances and conversions Worksheet

Has a major disturbance occurred at this wetland?	Yes	No.	Ŧ		10.00 10.00
If yes, was it a flood, fire, landslide, or other?	flood	fire	lan	dslide	other
If yes, then how severe is the disturbance?	likely to affect site next 5 or more years	likely to af site next i years		site	to affect next 1-2 years
	depressiona	ıl ve <del>r</del> nal po	ool		nal pool ystem
Has this wetland been converted from	non-confine	d confine			ir-built tuarine
another type? If yes, then what was the previous type?	perennial saline estuarine	perenni non-sali estuarir	ne	wet	meadow
	lacustrine	seep or sp	ring		playa

### Stressor Checklist Worksheet

HYDROLOGY ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Point Source (PS) discharges (POTW, other non-stormwater		
discharge)		
Non-point Source (Non-PS) discharges (urban runoff, farm	x x x 1 7 10 000 1000	
drainage)		
Flow diversions or unnatural inflows		
Dams (reservoirs, detention basins, recharge basins)		
Flow obstructions (culverts, paved stream crossings)		
Weir/drop structure, tide gates		
Dredged inlet/channel		
Engineered channel (riprap, armored channel bank, bed)		
Dike/levees		
Groundwater extraction		
Ditches (borrow, agricultural drainage, mosquito control, etc.)		
Actively managed hydrology		
Comments		

PHYSICAL STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Filling or dumping of sediment or soils (N/A for restoration		
ateas)		
Grading/ compaction (N/A for restoration areas)		
Plowing/Discing (N/A for restoration areas)		
Resource extraction (sediment, gravel, oil and/or gas)		
Vegetation management	*	
Excessive sediment or organic debris from watershed	00000000000000000000000000000000000000	
Excessive runoff from watershed		
Nutrient impaired (PS or Non-PS pollution)		·
Heavy metal impaired (PS or Non-PS pollution)		
Pesticides or trace organics impaired (PS or Non-PS pollution)		
Bacteria and pathogens impaired (PS or Non-PS pollution)		
Trash or refuse		
Comments		

BIOTIC STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Mowing, grazing, excessive herbivory (within AA)		
Excessive human visitation		
Predation and habitat destruction by non-native vertebrates (e.g., Virginia opossum and domestic predators, such as feral pets)	·	
Tree cutting/sapling removal		
Removal of woody debris		
Treatment of non-native and nuisance plant species	X	
Pesticide application or vector control		
Biological resource extraction or stocking (fisheries, aquaculture)		
Excessive organic debris in matrix (for vernal pools)		
Lack of vegetation management to conserve natural resources		
Lack of treatment of invasive plants adjacent to AA or buffer	×	×
Comments	,	
. NN grasses in surrounds affects buffer score		
		***************************************

BUFFER AND LANDSCAPE CONTEXT ATTRIBUTE (WITHIN 500 M OF AA)	Present	Significant negative effect on AA
Urban residential	308-11-	
Industrial/commercial		
Military training/Air traffic		
Dams (or other major flow regulation or disruption)		
Dryland farming		
Intensive row-crop agriculture		
Orchards/nurseries		
Commercial feedlots		
Dairies		
Ranching (enclosed livestock grazing or horse paddock or feedlot)		
Transportation corridor	X	
Rangeland (livestock rangeland also managed for native vegetation)	×	
Sports fields and urban parklands (golf courses, soccer fields, etc.)		
Passive recreation (bird-watching, hiking, etc.)		
Active recreation (off-road vehicles, mountain biking, hunting, fishing)		
Physical resource extraction (rock, sediment, oil/gas)		
Biological resource extraction (aquaculture, commercial fisheries)		
Comments		

### Basic Information Sheet: Depressional Wetlands

Assessment Area Nam	, , , , , , , , , , , , , , , , , , , ,	4A4)	
	B - Area A		y
Assessment Area ID # Project ID #:		Date: 6/3/21	
		Date: Orgic	
Assessment Team Mer	nbers for This AA		
Schliebe; Bat	iuk		·
		·	
AA Category:			
☐ Pre-Restoration	X Post-Restoration	☐. Pre-Mitigation	☐ Post-Mitigation
□ Pre-Impact	□ Post-Impact	□ Training	□ Ambient
□ Reference	□ Other:		
Origin of Wetland (if	known):		
図 Natural system	☐ Artificial system		
Type of Managemen	t (if known):		
□ waterfowl/birds □ a	mphibians 🗆 general w	vildlife 🗆 sediment 🗅	water quality 🗆 stormwater
□ water supply (agricul	ture) 🗆 water supply (li	vestock) 🗆 not manag	ed Aother: veg
Which best describes	the type of depressio	nal wetland?	
freshwater marsh	□ alkaline mar	sh 🗆 brackish	marsh
other (specify):			
AA Encompasses:			
□ entire	e wetland 🏿 🎉 p	ortion of the wetland	
Which best describes	s the hydrologic state	of the wetland at the	time of assessment?
☐ ponded/inunc	lated 🗆 saturate	d soil, but no surface v	water A dry
What is the apparent	hydrologic regime of	the wetland?	
wetlands are defined as	ns contain surface water s supporting surface wa led depressional wetland	ter for 4-11 months o	flooded depressional f the year (in > 5 out of 10 r between 2 weeks and 4
☐ perennially flooded	☐ seasonally floo	oded tempor	rarily flooded

Does yout wetland		-	nearby stream?	yes 🛭 no
Does the wetland  Does the wetland			-	☑ undefined
Are the inlet and o			□ yes	⊠ no
Is the topographic basin of the wetland  distinct or  indistinct?  An indistinct topographic basin is one that lacks obvious boundaries between wetland and upland Examples of such features are seasonal, depressional wetlands in very low-gradient landscapes.  Photo Identification Numbers and Description:				
Photos should be taken  Photo ID	Description	Latitude	Longitude	Datum
No.				
1	(to) North		# 71 B00000000000004-4	
2	(to) East			·
3	(to) South			
4	(to) West			
5				
6			200 + 2 - 2	
7				
8				
9				
10				
Site Location Des AA borders AA#3 water levels.  Comments:	_		, from Lower Pond (	AA#3) at high



#### Percent of AA with Buffer Worksheet.

In the space provided below make a quick sketch of the AA, or perform the assessment directly on the aerial imagery; indicate where buffer is present, estimate the percentage of the AA perimeter providing buffer functions, and record the estimate amount in the space provided.

### Structural Patch Type Worksheet for Depressional Wetlands

Check each type of patch that is observed in the AA and use the total number of observed patches in Table 15.

### Worksheet for AA Topographic Complexity

At two locations in the AA, make a sketch of the profile from the AA boundary to AA boundary. Try to capture the major topographic features, slopes and intervening micro-topographic relief. Based on these sketches and the profiles in Figure 7, choose a description in Table 17 that best describes the overall topographic complexity of the AA.

### Plant Community Metric Worksheet 2 of 8: Co-dominant species richness (A dominant species represents ≥10% relative cover)

\* Combine the counts of co-dominant species from all layers to identify the total species count. Each plant species is only counted once when calculating the Number of Co-dominant Species and Percent Invasion submetric scores, regardless of the numbers of layers in which it occurs.

### Horizontal Interspersion Worksheet

Use the spaces below to make a sketch of the AA in plan view, outlining the major plant zones (this should take no longer than 10 minutes). Assign names to the zones and record them on the right. Based on the sketch, choose a single profile from Figure 8 that best represents the AA overall.

# Ex. 4 CBI

#### Wetland disturbances and conversions Worksheet

Has a major disturbance occurred at this wetland?	Yes	No	ja v		
If yes, was it a flood, fire, landslide, or other?	flood	fire	lan	dslide	other
If yes, then how severe is the disturbance?	likely to affect site next 5 or more years	likely to af site next years		site	to affect next 1-2 years
	depressiona	ıl vernal po	ool		nal pool ystem
Has this wetland been converted from	non-confine riverine	d confine riverin			ır-built tuarine
another type? If yes, then what was the previous type?	perennial saline estuarine	perenni non-sali estuarin	ne	wet	meadow
·	lacustrine	seep or sp	ring	***************************************	playa

### Stressor Checklist Worksheet

HYDROLOGY ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Point Source (PS) discharges (POTW, other non-stormwater		
discharge)		
Non-point Source (Non-PS) discharges (urban runoff, farm drainage)		
Flow diversions or unnatural inflows		
Dams (reservoirs, detention basins, recharge basins)	***************************************	
Flow obstructions (culverts, paved stream crossings)		
Weir/drop structure, tide gates		
Dredged inlet/channel		
Engineered channel (riprap, armored channel bank, bed)		
Dike/levees		
Groundwater extraction		
Ditches (borrow, agricultural drainage, mosquito control, etc.)		
Actively managed hydrology		
Comments		

PHYSICAL STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Filling or dumping of sediment or soils (N/A for restoration areas)		
Grading/ compaction (N/A for restoration areas)		
Plowing/Discing (N/A for restoration areas)		
Resource extraction (sediment, gravel, oil and/or gas)		
Vegetation management	X	
Excessive sediment or organic debris from watershed		
Excessive runoff from watershed		
Nutrient impaired (PS or Non-PS pollution)		
Heavy metal impaired (PS or Non-PS pollution)		
Pesticides or trace organics impaired (PS or Non-PS pollution)		
Bacteria and pathogens impaired (PS or Non-PS pollution)		
Trash or refuse		
Comments		
	<u>, , , , , , , , , , , , , , , , , , , </u>	
		<u></u>


Present	Significant negative effect on AA
_	
X	
<b>X</b>	×
rics	
	X. X.

BUFFER AND LANDSCAPE CONTEXT ATTRIBUTE (WITHIN 500 M OF AA)	Present	Significant negative effect on AA
Urban residential		
Industrial/commercial		
Military training/Air traffic		·
Dams (or other major flow regulation or disruption)		
Dryland farming		
Intensive row-crop agriculture		
Orchards/nurseries	A. 4001.400000000000000000000000000000000	
Commercial feedlots		
Dairies		
Ranching (enclosed livestock grazing or horse paddock or		
feedlot)		
Transportation corridor	X	
Rangeland (livestock rangeland also managed for native vegetation)	*	
Sports fields and urban parklands (golf courses, soccer fields, etc.)	-	
Passive recreation (bird-watching, hiking, etc.)		
Active recreation (off-road vehicles, mountain biking, hunting, fishing)		
Physical resource extraction (rock, sediment, oil/gas)		
Biological resource extraction (aquaculture, commercial fisheries)	1.00.0000000000000000000000000000000000	
Comments	***************************************	

### Basic Information Sheet: Depressional Wetlands

Assessment Area Nam	e: AA #7 (PR-AA7)		
	16 - Area A		
Assessment Area ID #	9 9 	To	
Project ID #:		Date: bli L1	
Assessment Team Mer	nbers for This AA		
Schliebe, Carroll			
AA Category:			
☐ Pre-Restoration	☑ Post-Restoration	☐ Pre-Mitigation	☐ Post-Mitigation
□ Pre-Impact	□ Post-Impact	□ Training	□ Ambient
□ Reference	□ Other:	<u></u>	
Origin of Wetland (if	known):		
Natural system  ■ Natural system	□ Artificial system	Restored	
Type of Managemen	t (if known):		
□ waterfowl/birds □ 2	mphibians 🛮 general wi	ldlife 🗆 sediment 🗆 v	water quality □ stormwater
□ water supply (agricul	ture) 🗆 water supply (liv	estock) 🗆 not manage	ed Aother: veg. management
Which best describes	the type of depression	al wetland?	
🌣 freshwater marsh	□ alkaline marsl	n 🗆 brackish t	narsh
□ other (specify):			
AA Encompasses:			
□ entire	e wetland popo	ortion of the wetland	
Which best describes	s the hydrologic state o	f the wetland at the	time of assessment?
☐ ponded/inunc	lated 🗆 saturated	soil, but no surface w	rater ☑ dry
What is the apparent	hydrologic regime of	he wetland?	
wetlands are defined a	ns contain surface water is supporting surface water led depressional wetlands	er for 4-11 months of	the year (in $> 5$ out of $10$
☐ perennially flooded	′ □ seasonally floo	ded A tempor	arily flooded

	-		e floodplain of a n stream does not count)	earby stream?	yes ⊠ no		
Doe	Does the wetland have a defined on undefined outlet? ☐ defined ☑ undefined						
Does	s the wetland	have a defined or	n undefined <u>inlet</u> ?	$\Box$ defined	😾 undefined		
Are	the inlet and o	outlet at the same	location?	□ yes	<b>ty</b> (no		
An ii Exan	Is the topographic basin of the wetland $\square$ distinct or $\boxtimes$ indistinct?  An indistinct topographic basin is one that lacks obvious boundaries between wetland and upland Examples of such features are seasonal, depressional wetlands in very low-gradient landscapes.  Photo Identification Numbers and Description:						
Photo	s should be taken	from edge of AA loo	king toward the centroi	d of AA			
	Photo ID No.	Description	Latitude	Longitude	Datum		
1		(to) North					
2		(to) East					
3		(to) South					
4		(to) West					
5	12.000000000000000000000000000000000000						
6							
7							
8							
				080000038.4			
Site Location Description and Land Use:  Comments:  Crescent shaped AA next to AA#8							



#### Percent of AA with Buffer Worksheet.

In the space provided below make a quick sketch of the AA, or perform the assessment directly on the aerial imagery; indicate where buffer is present, estimate the percentage of the AA perimeter providing buffer functions, and record the estimate amount in the space provided.

### Structural Patch Type Worksheet for Depressional Wetlands

Check each type of patch that is observed in the AA and use the total number of observed patches in Table 15.

### Worksheet for AA Topographic Complexity

At two locations in the AA, make a sketch of the profile from the AA boundary to AA boundary. Try to capture the major topographic features, slopes and intervening micro-topographic relief. Based on these sketches and the profiles in Figure 7, choose a description in Table 17 that best describes the overall topographic complexity of the AA.

### Plant Community Metric Worksheet 2 of 8: Co-dominant species richness (A dominant species represents ≥10% relative cover)

\* Combine the counts of co-dominant species from all layers to identify the total species count. Each plant species is only counted once when calculating the Number of Co-dominant Species and Percent Invasion submetric scores, regardless of the numbers of layers in which it occurs.

### Horizontal Interspersion Worksheet

Use the spaces below to make a sketch of the AA in plan view, outlining the major plant zones (this should take no longer than 10 minutes). Assign names to the zones and record them on the right. Based on the sketch, choose a single profile from Figure 8 that best represents the AA overall.

# Ex. 4 CBI

#### Wetland disturbances and conversions Worksheet

Has a major disturbance occurred at this wetland?	Yes	No		V,	
If yes, was it a flood, fire, landslide, or other?	flood	fire	lan	dslide	other
If yes, then how severe is the disturbance?	likely to affect site next 5 or more years	et site site next 3-5 vears		likely to affect site next 1-2 years	
	depressional vernal pool			nal pool ystem	
Has this wetland been converted from	non-confine riverine	d confine			ar-built tuarine
another type? If yes, then what was the previous type?	perennial saline estuarine	perenni non-sali estuarir	ne	wet	meadow
	lacustrine	seep or sp	ring		playa

### Stressor Checklist Worksheet

HYDROLOGY ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Point Source (PS) discharges (POTW, other non-stormwater discharge)		
Non-point Source (Non-PS) discharges (urban runoff, farm drainage)		
Flow diversions or unnatural inflows		
Dams (reservoirs, detention basins, recharge basins)		
Flow obstructions (culverts, paved stream crossings)	***************************************	
Weir/drop structure, tide gates		
Dredged inlet/channel		
Engineered channel (riprap, armored channel bank, bed)		***************************************
Dike/leyees		
Groundwater extraction		
Ditches (bortow, agricultural drainage, mosquito control, etc.)		
Actively managed hydrology		
Comments		
	4.	

PHYSICAL STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Filling or dumping of sediment or soils (N/A for restoration	had Manakan na manana na manan	
areas)		
Grading/ compaction (N/A for restoration areas)		
Plowing/Discing (N/A for restoration areas)		
Resource extraction (sediment, gravel, oil and/or gas)		
Vegetation management	×	
Excessive sediment or organic debris from watershed		
Excessive runoff from watershed		
Nutrient impaired (PS or Non-PS pollution)		
Heavy metal impaired (PS or Non-PS pollution)	•	
Pesticides or trace organics impaired (PS or Non-PS pollution)		
Bacteria and pathogens impaired (PS or Non-PS pollution)		
Trash or refuse		
Comments		
·		


BIOTIC STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA	
Mowing, grazing, excessive herbivory (within AA)		1	
Excessive human visitation			
Predation and habitat destruction by non-native vertebrates (e.g., Virginia opossum and domestic predators, such as feral pets)			
Tree cutting/sapling removal			
Removal of woody debris	SOMEON CONTRACTOR OF THE CONTR		
Treatment of non-native and nuisance plant species	×		
Pesticide application or vector control			
Biological resource extraction or stocking (fisheries, aquaculture)	•		
Excessive organic debris in matrix (for vernal pools)			
Lack of vegetation management to conserve natural resources			
Lack of treatment of invasive plants adjacent to AA or buffer	X.		
Comments			
flash grazing (weed management effort) but NN grass	es still affe	ching buffer scores	
	400000000000000000000000000000000		

BUFFER AND LANDSCAPE CONTEXT ATTRIBUTE (WITHIN 500 M OF AA)	Present	Significant negative effect on AA
Urban residential		
Industrial/commercial		
Military training/Air traffic		
Dams (or other major flow regulation or disruption)		
Dryland farming		
Intensive row-crop agriculture		
Orchards/nurseries		-
Commercial feedlots		
Dairies		
Ranching (enclosed livestock grazing or horse paddock or feedlot)	×	
Transportation corridor		
Rangeland (livestock rangeland also managed for native vegetation)	*	
Sports fields and urban parklands (golf courses, soccer fields, etc.)		
Passive recreation (bird-watching, hiking, etc.)		
Active recreation (off-road vehicles, mountain biking, hunting, fishing)		
Physical resource extraction (rock, sediment, oil/gas)		
Biological resource extraction (aquaculture, commercial fisheries)		
Comments		
		000000000000000000000000000000000000000

### Basic Information Sheet: Depressional Wetlands

Assessment Area Nam	e: AA #8 (PR-AA8			
Project Name: PLM	<b>4</b>			
Assessment Area ID #				
Project ID #:		Date: 61121		
Assessment Team Mer	nbers for This AA			
Schliebe; Courre	<i>s</i> 11			
,				
AA Category:				
☐ Pre-Restoration	Post-Restoration	☐ Pre-Mitigation	☐ Post-Mitigation	
□ Pre-Impact	□ Post-Impact	□ Training	□ Ambient	
□ Reference	□ Other:			
Origin of Wetland (if	known):			
≰ Natural system	☐ Artificial system	Restored		
Type of Managemen	t (if known):			
□ waterfowl/birds □ a	mphibians 🗆 general wi	ildlife 🗆 sediment 🗆	water quality 🗆 stormwater	
□ water supply (agricul	ture) 🗆 water supply (liv	estock) 🗆 not manag	ed © other: vog management	
Which best describes	the type of depression	nal wetland?		
🛭 freshwater marsh	□ alkaline marsl	h 🗆 brackish	marsh	
□ other (specify):				
AA Encompasses:		·		
□ entire	e wetland 52 pc	ortion of the wetland		
Which best describes	s the hydrologic state o	of the wetland at the	time of assessment?	
☐ ponded/inunc	lated 🗆 saturated	soil, but no surface v	vater 🛭 dry	
What is the apparent	hydrologic regime of	the wetland?		
Perennially flooded systems contain surface water year-round, seasonally flooded depressional wetlands are defined as supporting surface water for 4-11 months of the year (in > 5 out of 10 years.) Temporarily flooded depressional wetlands possess surface water between 2 weeks and 4 months of the year.				
☐ perennially flooded	□ seasonally floo	ded A tempo:	rarily flooded	

	Does your wetland connect with the floodplain of a nearby stream?   yes   no  (system subject to overbank flow, a dammed stream does not count)							
Does	Does the wetland have a defined on undefined outlet?   ☐ defined  ☐ undefined							
Does	s the wetland	have a defined o	n undefined <u>inlet</u> ?	☐ defined	undefined			
Are t	he inlet and	outlet at the same	e location?	□ yes	≨ no			
An <i>in</i> Exan	adistinct topogte aples of such f	aphic basin is one	al, depressional wet	oundaries between	wetland and upland. adient landscapes.			
			oking toward the centro	id of AA				
	Photo ID No.	Description	Latitude	Longitude	Datum			
1		(to) North						
2		(to) East		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
3		(to) South						
4		(to) West	,					
5								
6	00000000000000000000000000000000000000			•				
7								
8								
9	·							
10	<u> </u>							



#### Percent of AA with Buffer Worksheet.

In the space provided below make a quick sketch of the AA, or perform the assessment directly on the aerial imagery; indicate where buffer is present, estimate the percentage of the AA perimeter providing buffer functions, and record the estimate amount in the space provided.

### Structural Patch Type Worksheet for Depressional Wetlands

Check each type of patch that is observed in the AA and use the total number of observed patches in Table 15.

### Worksheet for AA Topographic Complexity

At two locations in the AA, make a sketch of the profile from the AA boundary to AA boundary. Try to capture the major topographic features, slopes and intervening micro-topographic relief. Based on these sketches and the profiles in Figure 7, choose a description in Table 17 that best describes the overall topographic complexity of the AA.

### Plant Community Metric Worksheet 2 of 8: Co-dominant species richness (A dominant species represents ≥10% relative cover)

\* Combine the counts of co-dominant species from all layers to identify the total species count. Each plant species is only counted once when calculating the Number of Co-dominant Species and Percent Invasion submetric scores, regardless of the numbers of layers in which it occurs.

#### Horizontal Interspersion Worksheet

Use the spaces below to make a sketch of the AA in plan view, outlining the major plant zones (this should take no longer than 10 minutes). Assign names to the zones and record them on the right. Based on the sketch, choose a single profile from Figure 8 that best represents the AA overall.

# Ex. 4 CBI

### Wetland disturbances and conversions Worksheet

Has a major disturbance occurred at this wetland?	Yes	(No)			
If yes, was it a flood, fire, landslide, or other?	flood	fire	lar	dslide	other
If yes, then how severe is the disturbance?	likely to affect site next 5 or more years  likely to affect site next 3-5 years		likely to affect site next 1-2 years		
	depressiona	al vernal j	vernal pool		nal pool ystem
Has this wetland been converted from	non-confine riverine	ed confir			ar-built tuarine
another type? If yes, then what was the previous type?	perennial saline estuarine	pereni non-sa estuar	line	wet	meadow
	lacustrine	seep or s	pring		playa

### Stressor Checklist Worksheet

HYDROLOGY ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Point Source (PS) discharges (POTW, other non-stormwater discharge)		
Non-point Source (Non-PS) discharges (urban runoff, farm drainage)		
Flow diversions or unnatural inflows		
Dams (reservoirs, detention basins, recharge basins)		
Flow obstructions (culverts, paved stream crossings)		
Weir/drop structure, tide gates	900-00-00-00-00-00-00-00-00-00-00-00-00-	
Dredged inlet/channel	***************************************	
Engineered channel (riprap, armored channel bank, bed)		
Dike/levees		
Groundwater extraction		
Ditches (borrow, agricultural drainage, mosquito control, etc.)		
Actively managed hydrology		
Comments		1 20 3000000

PHYSICAL STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Filling or dumping of sediment or soils (N/A for restoration		
areas)		
Grading/ compaction (N/A for restoration areas)		
Plowing/Discing (N/A for restoration areas)		
Resource extraction (sediment, gravel, oil and/or gas)	PROPERTY AND A STATE OF THE STA	
Vegetation management	×	
Excessive sediment or organic debris from watershed		
Excessive runoff from watershed		
Nutrient impaired (PS or Non-PS pollution)		
Heavy metal impaired (PS or Non-PS pollution)		
Pesticides or trace organics impaired (PS or Non-PS pollution)		
Bacteria and pathogens impaired (PS or Non-PS pollution)		
Trash or refuse		
Comments		


X	
人	
X	
ng buffer	Score
	×

BUFFER AND LANDSCAPE CONTEXT ATTRIBUTE (WITHIN 500 M OF AA)	Present	Significant negative effect on AA
Urban residential		
Industrial/commercial		
Military training/Air traffic		
Dams (or other major flow regulation or disruption)		
Dryland farming		
Intensive row-crop agriculture		
Orchards/nurseries		
Commercial feedlots		
Dairies		
Ranching (enclosed livestock grazing or horse paddock or feedlot)	×	
Transportation corridor		
Rangeland (livestock rangeland also managed for native vegetation)	X	
Sports fields and urban parklands (golf courses, soccer fields, etc.)		and the second s
Passive recreation (bird-watching, hiking, etc.)		
Active recreation (off-road vehicles, mountain biking, hunting, fishing)		
Physical resource extraction (rock, sediment, oil/gas)		
Biological resource extraction (aquaculture, commercial fisheries)		
Comments	40000	
		***************************************
	0000000	

## Basic Information Sheet: Depressional Wetlands

Assessment Area Nam	e: AA #10 (PR-A	\A)0		
	MB - Area A			
Assessment Area ID # Project ID #:	b 9	Date: 615/21		
Project ID #:	5.00000000 181	Date. orgiv		
Assessment Team Mer	mbers for This AA			
Schliebe; Baliuk	•			
,				
AA Category:				
☐ Pre-Restoration	X Post-Restoration	☐ Pre-Mitigation	☐ Post-Mitigation	
□ Pre-Impact	□ Post-Impact	□ Training	□ Ambient	
□ Reference	□ Other:			
Origin of Wetland (if	known):			
⊠ Natural system	□ Artificial system	restored		
Type of Managemen	t (if known):			
waterfowl/birds = 2	amphibians □ general w	ildlife □ sediment □	water quality 🗆 stormwater	
	•		ed 🛭 other: veg management	
Which best describes the type of depressional wetland?				
"Q freshwater marsh			matsh	
-	aikanne mais	II DIACKIOII	maton	
□ other (specify):				
AA Encompasses:				
= entire	e wetland pxpe	ortion of the wetland		
Which best describe	s the hydrologic state of	of the wetland at the	time of assessment?	
□ ponded/inund	dated 🗆 saturated	l soil, but no surface v	water 💹 dry	
What is the apparent	hydrologic regime of	the wetland?		
Perennially flooded systems contain surface water year-round, seasonally flooded depressional wetlands are defined as supporting surface water for 4-11 months of the year (in > 5 out of 10 years.) Temporarily flooded depressional wetlands possess surface water between 2 weeks and 4 months of the year.			f the year (in $>$ 5 out of $10$	
□ perennially flooded	☐ seasonally floo	oded 🛚 🗷 tempo:	rarily flooded	

Does your wetland connect with the floodplain of a nearby stream?   yes   no  (system subject to overbank flow, a dammed stream does not count)					
			n undefined <u>outlet</u> n undefined <u>inlet</u> ?	?   defined	□Kundefined ☑ undefined
Are t	he inlet and o	outlet at the same	location?	□ yes	<b>⊉</b> no
An in Exam	adistinct topogra	phic basin is one t	d, depressional wetle	oundaries between	wetland and upland. adient landscapes.
Photo.	Photo ID	from edge of AA loo  Description	king toward the centroi	Longitude	Datum
1 2 3 4 5 6 7 8 9 10	Location Des	(to) North (to) East (to) South (to) West	d Use:		
	ments: ad unnatural	pooled woter alon	g wostern extent	due to leaking s	sprinkler system,



#### Percent of AA with Buffer Worksheet.

In the space provided below make a quick sketch of the AA, or perform the assessment directly on the aerial imagery; indicate where buffer is present, estimate the percentage of the AA perimeter providing buffer functions, and record the estimate amount in the space provided.

## Structural Patch Type Worksheet for Depressional Wetlands

Check each type of patch that is observed in the AA and use the total number of observed patches in Table 15.

## Worksheet for AA Topographic Complexity

At two locations in the AA, make a sketch of the profile from the AA boundary to AA boundary. Try to capture the major topographic features, slopes and intervening micro-topographic relief. Based on these sketches and the profiles in Figure 7, choose a description in Table 17 that best describes the overall topographic complexity of the AA.

## Plant Community Metric Worksheet 2 of 8: Co-dominant species richness (A dominant species represents ≥10% relative cover)

\* Combine the counts of co-dominant species from all layers to identify the total species count. Each plant species is only counted once when calculating the Number of Co-dominant Species and Percent Invasion submetric scores, regardless of the numbers of layers in which it occurs.

### Horizontal Interspersion Worksheet

Use the spaces below to make a sketch of the AA in plan view, outlining the major plant zones (this should take no longer than 10 minutes). Assign names to the zones and record them on the right. Based on the sketch, choose a single profile from Figure 8 that best represents the AA overall.

# Ex. 4 CBI

### Wetland disturbances and conversions Worksheet

Has a major disturbance occurred at this wetland?	Yes	No		71.		
If yes, was it a flood, fire, landslide, or other?	flood	fire	lan	ıdslide	other	
If yes, then how severe is the disturbance?	likely to affect site next 5 or more years	site next vears	kely to affect site next 3-5 years		likely to affect site next 1-2 years	
	depression	al vernal p	vernal pool		nal pool ystem	
Has this wetland been converted from	non-confine		confined riverine		ır-built tuarine	
another type? If yes, then what was the previous type?	perennial saline estuarine	perenn non-sal estuari	ine	wet	meadow	
	lacustrine	seep or s	oring		playa	

## Stressor Checklist Worksheet

HYDROLOGY ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Point Source (PS) discharges (POTW, other non-stormwater		
discharge)	Х	
Non-point Source (Non-PS) discharges (urban runoff, farm		
drainage)		
Flow diversions or unnatural inflows		
Dams (reservoirs, detention basins, recharge basins)		
Flow obstructions (culverts, paved stream crossings)		
Weir/drop structure, tide gates		
Dredged inlet/channel		
Engineered channel (riprap, armored channel bank, bed)		
Dike/levees		
Groundwater extraction		
Ditches (borrow, agricultural drainage, mosquito control, etc.)		
Actively managed hydrology		
Comments		•
mingr sprinkler system leak		

PHYSICAL STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Filling or dumping of sediment or soils (N/A for restoration		
areas)		
Grading/ compaction (N/A for restoration areas)		
Plowing/Discing (N/A for restoration areas)		
Resource extraction (sediment, gravel, oil and/or gas)	- T- 00/1000 - 0.07-00000 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	
Vegetation management		
Excessive sediment or organic debris from watershed		
Excessive runoff from watershed		•
Nutrient impaired (PS or Non-PS pollution)		
Heavy metal impaired (PS or Non-PS pollution)		
Pesticides or trace organics impaired (PS or Non-PS pollution)		
Bacteria and pathogens impaired (PS or Non-PS pollution)		
Trash or refuse		
Comments		
	101 /000	70007
		34.4

BIOTIC STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Mowing, grazing, excessive herbivory (within AA)	人	×
Excessive human visitation		
Predation and habitat destruction by non-native vertebrates (e.g., Virginia opossum and domestic predators, such as feral pets)		
Tree cutting/sapling removal		
Removal of woody debris		
Treatment of non-native and nuisance plant species	$\prec$	
Pesticide application or vector control		
Biological resource extraction or stocking (fisheries, aquaculture)		
Excessive organic debris in matrix (for vernal pools)		
Lack of vegetation management to conserve natural resources		
Lack of treatment of invasive plants adjacent to AA or buffer	У	$\propto$
Comments		
flash grazing affecting entrainment; NN grasses in	buffer	

BUFFER AND LANDSCAPE CONTEXT ATTRIBUTE (WITHIN 500 M OF AA)	Present	Significant negative effect on AA
Urban residential		
Industrial/commercial		
Military training/Air traffic		
Dams (or other major flow regulation or disruption)		
Dryland farming		
Intensive row-crop agriculture		
Orchards/nurseries		
Commercial feedlots		
Dairies		
Ranching (enclosed livestock grazing or horse paddock or feedlot)	×	
Transportation corridor	•	
Rangeland (livestock rangeland also managed for native vegetation)	×	
Sports fields and urban parklands (golf courses, soccer fields, etc.)		1
Passive recreation (bird-watching, hiking, etc.)		***************************************
Active recreation (off-road vehicles, mountain biking, hunting, fishing)		
Physical resource extraction (rock, sediment, oil/gas)		
Biological resource extraction (aquaculture, commercial fisheries)		
Comments		
	00000000000000000000000000000000000000	

## Basic Information Sheet: Depressional Wetlands

Assessment Area Name: AA #12 (PR-AA12)		
Project Name: PRMB - SCE Mitigation Site		
Assessment Area ID #:		
Project ID #: Date: 妈本 614 21		
Assessment Team Members for This AA		
Schliebe, Carroll		
AA Category:		
☐ Pre-Restoration ☐ Post-Restoration ☐ Pre-Mitigation ☐ Post-Mitigation		
□ Pre-Impact □ Post-Impact □ Training □ Ambient		
□ Reference □ Other:		
Origin of Wetland (if known):		
Natural system □ Artificial system (e5toved)		
Type of Management (if known):		
□ waterfowl/birds □ amphibians □ general wildlife □ sediment □ water quality □ stormwater		
□ water supply (agriculture) □ water supply (livestock) □ not managed Ø other: veg management		
Which best describes the type of depressional wetland?		
✓ freshwater marsh		
□ other (specify):		
AA Encompasses:		
□ entire wetland		
Which best describes the hydrologic state of the wetland at the time of assessment?		
☐ ponded/inundated ☐ saturated soil, but no surface water		
What is the apparent hydrologic regime of the wetland?		
Perennially flooded systems contain surface water year-round, seasonally flooded depressional wetlands are defined as supporting surface water for 4-11 months of the year (in > 5 out of 10 years.) Temporarily flooded depressional wetlands possess surface water between 2 weeks and 4 months of the year.		
☐ perennially flooded ☐ seasonally flooded ☐ temporarily flooded		

Does your wetland connect with the floodplain of a nearby stream?   yes   no  (system subject to overbank flow, a dammed stream does not count)					
Does the wetland have a defined on undefined outlet? ☐ defined ☐ undefined  Does the wetland have a defined on undefined inlet? ☐ defined ☐ undefined					
Are the inlet and		-	□ yes	≠no	
Is the topographic basin of the wetland  distinct or  indistinct?  An indistinct topographic basin is one that lacks obvious boundaries between wetland and upland Examples of such features are seasonal, depressional wetlands in very low-gradient landscapes.  Photo Identification Numbers and Description:					
Photos should be take	n from edge of AA loo	king toward the centroid	d of AA		
Photo ID No.	Description	Latitude	Longitude	Datum	
1	(to) North				
2	(to) East				
3	(to) South				
4	(to) West				
5					
6					
7		*			
8					
9	<u> </u>				
Site Location Description and Land Use:  Comments:					

#### Percent of AA with Buffer Worksheet.

In the space provided below make a quick sketch of the AA, or perform the assessment directly on the aerial imagery; indicate where buffer is present, estimate the percentage of the AA perimeter providing buffer functions, and record the estimate amount in the space provided.

## Structural Patch Type Worksheet for Depressional Wetlands

Check each type of patch that is observed in the AA and use the total number of observed patches in Table 15.

## Worksheet for AA Topographic Complexity

At two locations in the AA, make a sketch of the profile from the AA boundary to AA boundary. Try to capture the major topographic features, slopes and intervening micro-topographic relief. Based on these sketches and the profiles in Figure 7, choose a description in Table 17 that best describes the overall topographic complexity of the AA.

## Plant Community Metric Worksheet 2 of 8: Co-dominant species richness (A dominant species represents ≥10% relative cover)

\* Combine the counts of co-dominant species from all layers to identify the total species count. Each plant species is only counted once when calculating the Number of Co-dominant Species and Percent Invasion submetric scores, regardless of the numbers of layers in which it occurs.

### Horizontal Interspersion Worksheet

Use the spaces below to make a sketch of the AA in plan view, outlining the major plant zones (this should take no longer than 10 minutes). Assign names to the zones and record them on the right. Based on the sketch, choose a single profile from Figure 8 that best represents the AA overall.

## Ex. 4 CBI

### Wetland disturbances and conversions Worksheet

Has a major disturbance occurred at this wetland?	Yes	No			
If yes, was it a flood, fire, landslide, or other?	flood	fire	landsl	ide	other
If yes, then how severe is the disturbance?	likely to affect site next 5 or more years	likely to aff site next 3 years		site	to affect next 1-2 years
·	depressional	vernal po	ol		nal pool ystem
Has this wetland been converted from	non-confined riverine	confined riverine	1		r-built tuarine
another type? If yes, then what was the previous type?	perennial saline estuarine	perennia non-salir estuarin	ne	wet	meadow
	lacustrine	seep or spi	ring		playa

### Stressor Checklist Worksheet

HYDROLOGY ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Point Source (PS) discharges (POTW, other non-stormwater		
discharge)		
Non-point Source (Non-PS) discharges (urban runoff, farm		
drainage)		
Flow diversions or unnatural inflows		
Dams (reservoirs, detention basins, recharge basins)		
Flow obstructions (culverts, paved stream crossings)		
Weir/drop structure, tide gates		
Dredged inlet/channel		
Engineered channel (riprap, armored channel bank, bed)		
Dike/levees		
Groundwater extraction		
Ditches (borrow, agricultural drainage, mosquito control, etc.)		
Actively managed hydrology		
Comments		

PHYSICAL STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Filling or dumping of sediment or soils (N/A for restoration		
areas)		
Grading/ compaction (N/A for restoration areas)		
Plowing/Discing (N/A for restoration areas)		
Resource extraction (sediment, gravel, oil and/or gas)		
Vegetation management	×	
Excessive sediment or organic debris from watershed	inancenae pane anancenaenaenaenaenaenaenaenaenaenaen	
Excessive runoff from watershed		
Nutrient impaired (PS or Non-PS pollution)		
Heavy metal impaired (PS or Non-PS pollution)		
Pesticides or trace organics impaired (PS or Non-PS pollution)		
Bacteria and pathogens impaired (PS or Non-PS pollution)		
Trash or refuse		
Comments		
	<del></del>	***


BIOTIC STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Mowing, grazing, excessive herbivory (within AA)	人	
Excessive human visitation		
Predation and habitat destruction by non-native vertebrates (e.g., Virginia opossum and domestic predators, such as feral pets)		
Tree cutting/sapling removal		
Removal of woody debris		
Treatment of non-native and nuisance plant species	<u>X</u>	
Pesticide application or vector control		
Biological resource extraction or stocking (fisheries, aquaculture)		
Excessive organic debris in matrix (for vernal pools)		
Lack of vegetation management to conserve natural resources		
Lack of treatment of invasive plants adjacent to AA or buffer	<u> </u>	
Comments		
flash grazing; NN grosses + forbs in buffer		

BUFFER AND LANDSCAPE CONTEXT ATTRIBUTE (WITHIN 500 M OF AA)	Present	Significant negative effect on AA
Urban residential		
Industrial/commercial		
Military training/Air traffic		
Dams (or other major flow regulation or disruption)		
Dryland farming		
Intensive row-crop agriculture		
Orchards/nurseries		
Commercial feedlots		
Dairies	-	
Ranching (enclosed livestock grazing or horse paddock or		
feedlot)		
Transportation corridor		
Rangeland (livestock rangeland also managed for native vegetation)	×	
Sports fields and urban parklands (golf courses, soccer fields, etc.)		
Passive recreation (bird-watching, hiking, etc.)	noconconsta v	
Active recreation (off-road vehicles, mountain biking, hunting, fishing)		
Physical resource extraction (rock, sediment, oil/gas)		
Biological resource extraction (aquaculture, commercial fisheries)		
Comments	400000000000	

## **Basic Information Sheet: Depressional Wetlands**

Assessment Area Nam			
	B - SCF Miligation	Site (Reference)	
Assessment Area ID #: Project ID #:	<u></u>	Date: 6/4/13	
		Date: 94A	***************************************
Assessment Team Mer	nbers for This AA		
Schliebe; Carva	<u>الر</u>		
·			
AA Category:	·		
☐ Pre-Restoration	☐ Post-Restoration	☐ Pre-Mitigation	☐ Post-Mitigation
□ Pre-Impact	□ Post-Impact	□ Training	□ Ambient
x Reference	□ Other:		
Origin of Wetland (if	known):		
⊠ Natural system	□ Artificial system		
Type of Managemen	t (if known):		
□ waterfowl/birds □ a	mphibians □ general w	rildlife 🗆 sediment 🗆	water quality □ stormwater
□ water supply (agricul	ture) 🗆 water supply (liv	vestock) 🗆 not manag	ed 15 other: vig management
Which best describes	the type of depression	nal wetland?	
⊈ freshwater marsh	□ alkaline mars	h 🗆 brackish	marsh
□ other (specify):			
AA Encompasses:			
□ enti <b>r</b> e	e wetland ≱p	ortion of the wetland	
Which best describes	the hydrologic state of	of the wetland at the	time of assessment?
☐ ponded/inund	lated 🗆 saturated	l soil, but no surface v	vater 🗸 dry
What is the apparent	hydrologic regime of	the wetland?	
wetlands are defined as		er for 4-11 months of	flooded depressional  f the year (in > 5 out of 10  r between 2 weeks and 4
☐ perennially flooded	☐ seasonally floo	oded 4_tempor	rarily flooded

Does your wetland connect with the floodplain of a nearby stream?   yes   no  (system subject to overbank flow, a dammed stream does not count)						
Does the wetland	Does the wetland have a defined on undefined outlet?   ☐ defined ☐ undefined					
Does the wetland	l have a defined o	n undefined <u>inlet</u> ?	$\Box$ defined	$\square$ undefined		
Are the inlet and	outlet at the same	e location?	□ yes	□ no		
An indistinct topoge	caphic basin is one	tland	oundaries between	wetland and upland. adient landscapes.		
	tion Numbers and	l Description:  oking toward the centro	id of AA			
Photo ID No.	Description	Latitude	Longitude	Datum		
1	(to) North		***************************************			
2	(to) East	_				
3	(to) South					
4	(to) West					
5						
6						
7			0000000 A.S 00 ALM - 1 2 - A NAME - 1 2 - A NAME - 1 2 - A NAME - 1			
8	-		***************************************	·		
9						
Site Location Description and Land Use:  Comments:						



### Percent of AA with Buffer Worksheet.

In the space provided below make a quick sketch of the AA, or perform the assessment directly on the aerial imagery; indicate where buffer is present, estimate the percentage of the AA perimeter providing buffer functions, and record the estimate amount in the space provided.

Worksheet for calculating average buffer width of AA

## Structural Patch Type Worksheet for Depressional Wetlands

Check each type of patch that is observed in the AA and use the total number of observed patches in Table 15.

### Worksheet for AA Topographic Complexity

At two locations in the AA, make a sketch of the profile from the AA boundary to AA boundary. Try to capture the major topographic features, slopes and intervening micro-topographic relief. Based on these sketches and the profiles in Figure 7, choose a description in Table 17 that best describes the overall topographic complexity of the AA.

## Plant Community Metric Worksheet 2 of 8: Co-dominant species richness (A dominant species represents ≥10% relative cover)

\* Combine the counts of co-dominant species from all layers to identify the total species count. Each plant species is only counted once when calculating the Number of Co-dominant Species and Percent Invasion submetric scores, regardless of the numbers of layers in which it occurs.

### Horizontal Interspersion Worksheet

Use the spaces below to make a sketch of the AA in plan view, outlining the major plant zones (this should take no longer than 10 minutes). Assign names to the zones and record them on the right. Based on the sketch, choose a single profile from Figure 8 that best represents the AA overall.

# Ex. 4 CBI

### Wetland disturbances and conversions Worksheet

Has a major disturbance occurred at this wetland?	Yes	No			
If yes, was it a flood, fire, landslide, or other?	flood	fire	lan	dslide	other
If yes, then how severe is the disturbance?	likely to affect site next 5 or more years	likely to af site next i years		site	to affect next 1-2 years
	depressional	l vernal po	ool		nal pool ystem
Has this wetland been converted from	non-confined	d confine	i		ar-built tuarine
another type? If yes, then what was the previous type?	perennial saline estuarine	perenni non-sali estuarir	ne	e wet meadow	
	lacustrine	seep or sp	ring		playa

### Stressor Checklist Worksheet

HYDROLOGY ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Point Source (PS) discharges (POTW, other non-stormwater		
discharge)		
Non-point Source (Non-PS) discharges (urban runoff, farm		
drainage)		
Flow diversions or unnatural inflows		
Dams (reservoirs, detention basins, recharge basins)		
Flow obstructions (culverts, paved stream crossings)		
Weir/drop structure, tide gates		
Dredged inlet/channel		
Engineered channel (riprap, armored channel bank, bed)		
Dike/levees		
Groundwater extraction		
Ditches (borrow, agricultural drainage, mosquito control, etc.)		
Actively managed hydrology		
Comments		

PHYSICAL STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Filling or dumping of sediment or soils (N/A for restoration		
areas)		
Grading/compaction (N/A for restoration areas)		
Plowing/Discing (N/A for restoration areas)		
Resource extraction (sediment, gravel, oil and/or gas)		
Vegetation management	×	
Excessive sediment or organic debris from watershed		***************************************
Excessive runoff from watershed		
Nutrient impaired (PS or Non-PS pollution)		
Heavy metal impaired (PS or Non-PS pollution)		100000000000000000000000000000000000000
Pesticides or trace organics impaired (PS or Non-PS pollution)		
Bacteria and pathogens impaired (PS or Non-PS pollution)		
Trash or refuse		
Comments		
		***************************************
	***************************************	

BIOTIC STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Mowing, grazing, excessive herbivory (within AA)	X	
Excessive human visitation		
Predation and habitat destruction by non-native vertebrates (e.g., Virginia opossum and domestic predators, such as feral pets)		
Tree cutting/sapling removal		
Removal of woody debris		
Treatment of non-native and nuisance plant species	×	
Pesticide application or vector control		
Biological resource extraction or stocking (fisheries, aquaculture)		
Excessive organic debris in matrix (for vernal pools)		
Lack of vegetation management to conserve natural resources		
Lack of treatment of invasive plants adjacent to AA or buffer	×	<u> </u>
Comments		
flach grazing; NN grasses in buffer		

BUFFER AND LANDSCAPE CONTEXT ATTRIBUTE (WITHIN 500 M OF AA)	Present	Significant negative effect on AA
Urban residential		
Industrial/commercial		
Military training/Air traffic		
Dams (or other major flow regulation or disruption)	-	
Dryland farming		
Intensive row-crop agriculture		
Orchards/nurseries		
Commercial feedlots		
Dairies		
Ranching (enclosed livestock grazing or horse paddock or feedlot)		
Transportation corridor	······	
Rangeland (livestock rangeland also managed for native vegetation)	×	
Sports fields and urban parklands (golf courses, soccer fields, etc.)	***************************************	
Passive recreation (bird-watching, hiking, etc.)		
Active recreation (off-road vehicles, mountain biking, hunting, fishing)		
Physical resource extraction (rock, sediment, oil/gas)		
Biological resource extraction (aquaculture, commercial fisheries)		
Comments		
	-AAAAAAAAAAAAAAAAAAA	

## Basic Information Sheet: Depressional Wetlands

·····	Assessment Area Name: AA*15 (PR-AA15)				
Project Name: PRMB - Area A					
Assessment Area ID #:  Project ID #:  Date: 6/1/2-1					
2.10,000.22 117					
Assessment Team Members for This AA					
Schliebe, Carroll					
7					
AA Category:		-			
☐ Pre-Restoration	☑ Post-Restoration	☐ Pre-Mitigation	☐ Post-Mitigation		
□ Pre-Impact	□ Post-Impact	□ Training	□ Ambient		
□ Reference	□ Other:				
Origin of Wetland (if known):					
Natural system	☐ Artificial system	Restored			
Type of Management (if known):					
□ waterfowl/birds □ amphibians □ general wildlife □ sediment □ water quality □ stormwater					
□ water supply (agriculture) □ water supply (livestock) □ not managed ♥ other: 👊 waragement					
Which best describes the type of depressional wetland?					
🗷 freshwater marsh 🗆 alkaline marsh 🗆 brackish marsh					
□ other (specify):					
AA Encompasses:					
□ entire wetland protion of the wetland					
Which best describes the hydrologic state of the wetland at the time of assessment?					
☐ ponded/inund	lated 🛭 saturate	d soil, but no surface v	vater 🛭 🗗 dry		
What is the apparent hydrologic regime of the wetland?					
Perennially flooded systems contain surface water year-round, seasonally flooded depressional wetlands are defined as supporting surface water for 4-11 months of the year (in > 5 out of 10 years.) Temporarily flooded depressional wetlands possess surface water between 2 weeks and 4 months of the year.					
☐ perennially flooded	☐ seasonally floo	oded A tempor	rarily flooded		

Does your wetland connect with the floodplain of a nearby stream?   yes   no   (system subject to overbank flow, a dammed stream does not count)							
	Does the wetland have a defined on undefined outlet? ☐ defined ☐ undefined  Does the wetland have a defined on undefined inlet? ☐ defined ☐ undefined						
Are	the inlet and o	outlet at the same	e location?	□ yes	g¥no		
Is the topographic basin of the wetland  distinct or  indistinct?  An indistinct topographic basin is one that lacks obvious boundaries between wetland and upland. Examples of such features are seasonal, depressional wetlands in very low-gradient landscapes.  Photo Identification Numbers and Description:							
Photo	s should be taken	from edge of AA loc	oking toward the centroi	id of AA			
	Photo ID No.	Description	Latitude	Longitude	Datum		
1		(to) North					
2		(to) East					
3		(to) South		***************************************			
4		(to) West					
5					· ·		
7							
8							
9				-	<del>                                     </del>		
<u> </u>							
Site Location Description and Land Use:  Comments:							

Worksheet for Aquatic Area Abundance Metric (Method 1)

# Ex. 4 CBI

#### Percent of AA with Buffer Worksheet.

In the space provided below make a quick sketch of the AA, or perform the assessment directly on the aerial imagery; indicate where buffer is present, estimate the percentage of the AA perimeter providing buffer functions, and record the estimate amount in the space provided.

### Structural Patch Type Worksheet for Depressional Wetlands

Check each type of patch that is observed in the AA and use the total number of observed patches in Table 15.

### Worksheet for AA Topographic Complexity

At two locations in the AA, make a sketch of the profile from the AA boundary to AA boundary. Try to capture the major topographic features, slopes and intervening micro-topographic relief. Based on these sketches and the profiles in Figure 7, choose a description in Table 17 that best describes the overall topographic complexity of the AA.

# Plant Community Metric Worksheet 2 of 8: Co-dominant species richness (A dominant species represents ≥10% relative cover)

\* Combine the counts of co-dominant species from all layers to identify the total species count. Each plant species is only counted once when calculating the Number of Co-dominant Species and Percent Invasion submetric scores, regardless of the numbers of layers in which it occurs.

#### Horizontal Interspersion Worksheet

Use the spaces below to make a sketch of the AA in plan view, outlining the major plant zones (this should take no longer than 10 minutes). Assign names to the zones and record them on the right. Based on the sketch, choose a single profile from Figure 8 that best represents the AA overall.

# Ex. 4 CBI

#### Wetland disturbances and conversions Worksheet

Has a major disturbance occurred at this wetland?	Yes	(No)		. € 1 3 3 ml ->a ( 1 3 ml -2 1 3 ml	
If yes, was it a flood, fire, landslide, or other?	flood	fire	lan	dslide	other
If yes, then how severe is the disturbance?	likely to affect site next 5 or more years	likely to aff site next 3 years		site	to affect next 1-2 years
	depressional	vernal po	ool		nal pool ystem
Has this wetland been converted from	non-confined riverine	confine riverine	- 1		ar-built tuarine
another type? If yes, then what was the previous type?	perennial saline estuarine	perennial non-saline wet m estuarine		meadow	
	lacustrine	seep or sp	ring		playa

### Stressor Checklist Worksheet

HYDROLOGY ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Point Source (PS) discharges (POTW, other non-stormwater discharge)		
Non-point Source (Non-PS) discharges (urban runoff, farm drainage)		
Flow diversions or unnatural inflows		
Dams (reservoirs, detention basins, recharge basins)		
Flow obstructions (culverts, paved stream crossings)	######################################	
Weir/drop structure, tide gates		
Dredged inlet/channel		
Engineered channel (riprap, armored channel bank, bed)		
Dike/levees		
Groundwater extraction		
Ditches (borrow, agricultural drainage, mosquito control, etc.)		
Actively managed hydrology		
Comments	000000000000000000000000000000000000000	•
		, , , , , , , , , , , , , , , , , , ,

PHYSICAL STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Filling or dumping of sediment or soils (N/A for restoration		
Grading/ compaction (N/A for restoration areas)	00000000000000000000000000000000000000	
Plowing/Discing (N/A for restoration areas)	WARRANG JALLA JALL.	
Resource extraction (sediment, gravel, oil and/or gas)		
Vegetation management		
Excessive sediment or organic debris from watershed		
Excessive runoff from watershed		
Nutrient impaired (PS or Non-PS pollution)		
Heavy metal impaired (PS or Non-PS pollution)		
Pesticides or trace organics impaired (PS or Non-PS pollution)	***************************************	
Bacteria and pathogens impaired (PS or Non-PS pollution)	***************************************	***************************************
Trash or refuse		
Comments		
	*	
	***************************************	
·		

Present	Significant negative effect on AA
X	
*	
4	~
	×,

BUFFER AND LANDSCAPE CONTEXT ATTRIBUTE (WITHIN 500 M OF AA)	Present	Significant negative effect on AA
Urban residential		
Industrial/commercial		
Military training/Air traffic		
Dams (or other major flow regulation or disruption)		
Dryland farming		
Intensive row-crop agriculture		
Orchards/nurseries		
Commercial feedlots		
Dairies		
Ranching (enclosed livestock grazing or horse paddock or feedlot)		
Transportation corridor	11.	
Rangeland (livestock rangeland also managed for native vegetation)	X	
Sports fields and urban parklands (golf courses, soccer fields, etc.)		
Passive recreation (bird-watching, hiking, etc.)	4.00000000000	
Active recreation (off-road vehicles, mountain biking, hunting, fishing)		
Physical resource extraction (rock, sediment, oil/gas)		
Biological resource extraction (aquaculture, commercial fisheries)		
Comments		200000000000000000000000000000000000000

## Basic Information Sheet: Depressional Wetlands

Assessment Area Name: AA #IL (PR - AAI6)						
Project Name: PRMB						
Assessment Area ID #:  Project ID #:  Date: 6/1/L3						
		Date: Off				
Assessment Team Mer	nbers for This AA					
Schliebe; Canroll						
AA Category:		•				
☐ Pre-Restoration	▼ Post-Restoration	☐ Pre-Mitigation	☐ Post-Mitigation			
□ Pre-Impact	□ Post-Impact	□ Training	□ Ambient			
□ Reference	□ Other:					
Origin of Wetland (if	known):					
⊠ Natural system	☐ Artificial system	Restored				
Type of Management	t (if known):					
□ waterfowl/birds □ a	mphibians □ general w	ildlife 🗆 sediment 🗆	water quality 🗆 stormwater			
□ water supply (agricul	ture) □ water supply (liv	vestock) □ not manag	ed Dother: vig management			
Which best describes	the type of deptession	nal wetland?				
🗷 freshwater marsh	□ alkaline mars	h 🗆 brackish	marsh			
□ other (specify):						
AA Encompasses:						
□ entire	wetland 2.pe	ortion of the wetland				
Which best describes	the hydrologic state of	of the wetland at the	time of assessment?			
□ ponded/inundated □ saturated soil, but no surface water						
What is the apparent	hydrologic regime of	the wetland?				
Perennially flooded systems contain surface water year-round, seasonally flooded depressional wetlands are defined as supporting surface water for 4-11 months of the year (in > 5 out of 10 years.) Temporarily flooded depressional wetlands possess surface water between 2 weeks and 4 months of the year.						
☐ perennially flooded	□ seasonally floo	oded 🛮 tempo:	rarily flooded			

Does your wetland connect with the floodplain of a nearby stream?   yes  no							
(system subject to overbank flow, a dammed stream does not count)  Does the wetland have a defined on undefined outlet?   defined   undefined							
				☑ undefined			
Does the wetlan	d have a defined o	n undefined <u>inlet</u> ?	☐ defined	undefined undefined			
Are the inlet and	d outlet at the same	e location?	□ yes	⊠ no			
Is the topograph	nic basin of the we	tland & distinct of	or 🗆 indistinct ?				
		that lacks obvious boal, depressional wetla		wetland and upland. radient landscapes.			
	ation Numbers and ken from edge of AA lo	l Description: oking toward the centroi	d of AA				
Photo ID		Latitude	Longitude	Datum			
1	(to) North						
2	(to) East	<u> </u>					
3	(to) South						
4	(to) West	7.0000000000000000000000000000000000000					
5							
6							
7							
8		, <u>no , , , , , , , , , , , , , , , , , , ,</u>	000000000000000/4.4				
9							
10							
Site Location Do	escription and Lan	d Use:	-				
Comments:							
		•					
				•			



Worksheet for Aquatic Area Abundance Metric (Method 1)

# Ex. 4 CBI

#### Percent of AA with Buffer Worksheet.

In the space provided below make a quick sketch of the AA, or perform the assessment directly on the aerial imagery; indicate where buffer is present, estimate the percentage of the AA perimeter providing buffer functions, and record the estimate amount in the space provided.

### Structural Patch Type Worksheet for Depressional Wetlands

Check each type of patch that is observed in the AA and use the total number of observed patches in Table 15.

### Worksheet for AA Topographic Complexity

At two locations in the AA, make a sketch of the profile from the AA boundary to AA boundary. Try to capture the major topographic features, slopes and intervening micro-topographic relief. Based on these sketches and the profiles in Figure 7, choose a description in Table 17 that best describes the overall topographic complexity of the AA.

# Plant Community Metric Worksheet 2 of 8: Co-dominant species richness (A dominant species represents ≥10% relative cover)

\* Combine the counts of co-dominant species from all layers to identify the total species count. Each plant species is only counted once when calculating the Number of Co-dominant Species and Percent Invasion submetric scores, regardless of the numbers of layers in which it occurs.

#### Horizontal Interspersion Worksheet

Use the spaces below to make a sketch of the AA in plan view, outlining the major plant zones (this should take no longer than 10 minutes). Assign names to the zones and record them on the right. Based on the sketch, choose a single profile from Figure 8 that best represents the AA overall.

# Ex. 4 CBI

#### Wetland disturbances and conversions Worksheet

Has a major disturbance occurred at this wetland?	Yes	No			
If yes, was it a flood, fire, landslide, or other?	flood	fire	lan	dslide	other
If yes, then how severe is the disturbance?	likely to affect site next 5 or more years	likely to af site next i years	1	site	to affect next 1-2 years
	depressional	vernal po	ool		nal pool ystem
Has this wetland been converted from	non-confined	d confine		1	ar-built tuarine
another type? If yes, then what was the previous type?	perennial saline estuarine	perennial non-saline wet m estuarine		meadow	
	lacustrine	seep or sp	ring		playa

### Stressor Checklist Worksheet

HYDROLOGY ATTRIBUTE (WITHIN 50 M OF AA)	Present	, Significant negative effect on AA
Point Source (PS) discharges (POTW, other non-stormwater discharge)		
Non-point Source (Non-PS) discharges (urban runoff, farm drainage)		
Flow diversions or unnatural inflows		
Dams (reservoirs, detention basins, recharge basins)		
Flow obstructions (culverts, paved stream crossings)		
Weir/drop structure, tide gates		
Dredged inlet/channel		
Engineered channel (riprap, armored channel bank, bed)	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Dike/levees		
Groundwater extraction		
Ditches (borrow, agricultural drainage, mosquito control, etc.)		
Actively managed hydrology		
Comments		
	- Oroccessooo	

PHYSICAL STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Filling or dumping of sediment or soils (N/A for restoration		
areas)		
Grading/ compaction (N/A for restoration areas)		
Plowing/Discing (N/A for restoration areas)		
Resource extraction (sediment, gravel, oil and/or gas)		
Vegetation management	×	
Excessive sediment or organic debris from watershed		
Excessive runoff from watershed		
Nutrient impaired (PS or Non-PS pollution)		
Heavy metal impaired (PS or Non-PS pollution)		
Pesticides or trace organics impaired (PS or Non-PS pollution)		
Bacteria and pathogens impaired (PS or Non-PS pollution)		
Trash or refuse	·	
Comments	<del></del>	

Present	Significant negative effect on AA
火	
·	
10	
×	
<u> </u>	×
	× ×

BUFFER AND LANDSCAPE CONTEXT ATTRIBUTE (WITHIN 500 M OF AA)	Present	Significant negative effect on AA
Urban residential		
Industrial/commercial		
Military training/Air traffic		
Dams (or other major flow regulation or disruption)		
Dryland farming		
Intensive row-crop agriculture		
Orchards/nurseries	***************************************	
Commercial feedlots		
Dairies		
Ranching (enclosed livestock grazing or horse paddock or		
feedlot)		
Transportation corridor		
Rangeland (livestock rangeland also managed for native vegetation)	X	
Sports fields and urban parklands (golf courses, soccer fields, etc.)		
Passive recreation (bird-watching, hiking, etc.)		
Active recreation (off-road vehicles, mountain biking, hunting, fishing)		
Physical resource extraction (rock, sediment, oil/gas)		
Biological resource extraction (aquaculture, commercial fisheries)		
Comments		
	44.000000000000000000000000000000000000	
	00000000000000000000000000000000000000	

## Basic Information Sheet: Riverine Wetlands

Assessment Area Name: AA+1 (PR-AA1)
Project Name: PRMB - Area A
Assessment Area ID #:
Project ID #: Date: 4/3/2
Assessment Team Members for This AA:
Schliebe; Batiuk
Average Bankfull Width:
Approximate Length of AA (10 times bankfull width, min 100 m, max 200 m):
Upstream Point Latitude: 34, 656648 Longitude: -118.376253
Downstream Point Latitude: 34.657375 Longitude: -118.376379
Wetland Sub-type:
□ Confined ➤ Non-confined
AA Category:
Restoration 🕱 Mitigation 🗆 Impacted 🗆 Ambient 🗀 Reference 🗀 Training
□ Other:
Did the river/stream have flowing water at the time of the assessment?   yes % no
What is the apparent hydrologic flow regime of the reach you are assessing?
The hydrologic flow regime of a stream describes the frequency with which the channel conducts water. Perennial streams conduct water all year long, whereas ephemeral streams conduct water only during and immediately following precipitation events. Intermittent streams are dry for part of the year, but conduct water for periods longer than ephemeral streams, as a function of watershed size and water source.
□ perennial □ intermittent ☑ ephemeral

	Photo ID	Description	Latitude	Longitude	Datum
	No.	Î .			
1		Upstream		***************************************	
2		Middle Left	,		
3		Middle Right	7-7-7-1		
4		Downstream	,		
5					
<del></del>				77-000000000000000000000000000000000000	
7					
8			97.990000000		
)					
~~~~					
ite ]	Location Des oun had little own efforts	-	r. Streambed dis Flow patterns be	turbed by coulte come indistinct i	from flash
Streo graz	am had little sing efforts	-	r. Streambed dis Flow patterns be	turbed by cattle come indistinct t	from flash fowards north
Site I Stree graz		-	ir. Streambed dis Flow patterns be	turbed by confle	from flash owards north
ite I Stree	am had little sing efforts	-	r. Streambed dis Flow patterns be	turbed by cattle come indistinct t	from flash fowards north
ite I Stree	am had little sing efforts	-	r. Streambed dis Flow patterns be	turbed by cattle come indistinct t	from flash owards north
ite I Hrea Yraz	am had little sing efforts	-	r. Streambed dis Flow patterns be	turbed by cattle come indistinct t	from flash fowards north
ite I Itreo graz ecti	am had little sing efforts	-	ir. Streambed dis Flow patterns be	turbed by cattle come indistinct t	from flash owards north
ite I Itreo Iraz ecti	am had little sing efforts ion of AA.	-	r. Streambed dis Flow patterns be	turbed by confle	from flash
ite I Itreo graz ecti	am had little sing efforts ion of AA.	-	r. Streambed dis Flow patterns be	turbed by caltle come indistinct t	from flash
ite I Itreo graz ecti	am had little sing efforts ion of AA.	-	r. Streambed dis Flow patterns be	turbed by confle	from flash
ite I Prec praz praz praz praz praz praz praz praz	am had little sing efforts ion of AA.	-	r. Streambed dis Flow patterns be	turbed by cattle come indistinct t	from flash



#### Percent of AA with Buffer Worksheet

In the space provided below make a quick sketch of the AA, or perform the assessment directly on the aerial imagery; indicate where buffer is present, estimate the percentage of the AA perimeter providing buffer functions, and record the estimate amount in the approximated.

#### Structural Patch Type Worksheet for Riverine wetlands

Circle each type of patch that is observed in the AA and enter the total number of observed patches in Table below. In the case of riverine wetlands, their status as confined or non-confined must first be determined (see page 6) to determine with patches are expected in the system (indicated by a "1" in the table below). Any feature onsite should only be counted once as a patch type, If a feature appears to meet the definition of more than one patch type (i.e. swale and secondary channel) the practitioner should choose which patch type best illustrates the feature. Not all features at a site will be patch types.

	patch tybes.		
Ex.	. 4	CB	

#### Worksheet for AA Topographic Complexity

At three locations along the AA, make a sketch of the profile of the stream from the AA boundary down to its deepest area then back out to the other AA boundary. Try to capture the benches and the intervening micro-topographic relief. To maintain consistency, make drawings at each of the stream hydrologic connectivity measurements, always facing downstream. Include the water level, an arrow at the bankfull contour, and label the benches. Based on these sketches and the profiles in Figure 10, choose a description in Table 16 that best describes the overall topographic complexity of the AA.

# Plant Community Metric Worksheet: Co-dominant species richness for Riverine wetlands (A dominant species represents ≥10% relative cover)

Special Note	Spe	cial	Note	2
--------------	-----	------	------	---

\* Combine the counts of co-dominant species from all layers to identify the total species count. Each plant species is only counted once when calculating the Number of Co-dominant Species and Percent Invasion submetric scores, regardless of the numbers of layers in which it occurs.

#### Horizontal Interspersion Worksheet.

Use the spaces below to make a quick sketch of the AA in plan view, outlining the major plant zones (this should take no longer than 10 minutes). Assign the zones names and record them on the right. Based on the sketch, choose a single profile from Figure 12 that best represents the AA overall.

# Ex. 4 CBI

#### Worksheet for Wetland disturbances and conversions

Has a major disturbance occurred at this wetland?	Yes		No		\$	
If yes, was it a flood, fire, landslide, or other?	flood		fire	lar	ndslide	othe <del>r</del>
If yes, then how severe is the disturbance?	likely to affe site next 5 c more years	or	likely to aff site next 3 years		site	y to affect next 1-2 years
	depression	al	vernal po	ol	l	mal pool system
Has this wetland been converted from another type? If yes, then what was the	non-confine	ed	confined riverine			easonal stuarine
previous type?	perennial sal estuarine		perennial n saline estua		wet	meadow
	lacustrine		seep or spi	ring		playa

### Stressor Checklist Worksheet

HYDROLOGY ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Point Source (PS) discharges (POTW, other non-stormwater discharge)	MARKET	
Non-point Source (Non-PS) discharges (urban runoff, farm drainage)	X	Х
Flow diversions or unnatural inflows		
Dams (reservoirs, detention basins, recharge basins)		
Flow obstructions (culverts, paved stream crossings)		
Weir/drop structure, tide gates		
Dredged inlet/channel		
Engineered channel (riprap, armored channel bank, bed)		
Dike/levees		
Groundwater extraction	-	
Ditches (borrow, agricultural drainage, mosquito control, etc.)		
Actively managed hydrology		
Comments		
Road runoff		

PHYSICAL STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Filling or dumping of sediment or soils (N/A for restoration areas)		
Grading/ compaction (N/A for restoration areas)		
Plowing/Discing (N/A for restoration areas)		
Resource extraction (sediment, gravel, oil and/or gas)	<del></del>	
Vegetation management	×	
Excessive sediment or organic debris from watershed		
Excessive runoff from watershed		
Nutrient impaired (PS or Non-PS pollution)		
Heavy metal impaired (PS or Non-PS pollution)		
Pesticides or trace organics impaired (PS or Non-PS pollution)		
Bacteria and pathogens impaired (PS or Non-PS pollution)		
Trash or refuse	X	
Comments		

BIOTIC STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Mowing, grazing, excessive herbivory (within AA)	X	
Excessive human visitation		
Predation and habitat destruction by non-native vertebrates (e.g., Virginia opossum and domestic predators, such as feral pets)		
Tree cutting/sapling removal		
Removal of woody debris	·	
Treatment of non-native and nuisance plant species	У.	
Pesticide application or vector control		
Biological resource extraction or stocking (fisheries, aquaculture)		
Excessive organic debris in matrix (for vernal pools)		
Lack of vegetation management to conserve natural resources		
Lack of treatment of invasive plants adjacent to AA or buffer	义	X
Comments	<b>!</b>	
flash grazing; NN grasses in buffer		

BUFFER AND LANDSCAPE CONTEXT ATTRIBUTE (WITHIN 500 M OF AA)	Present	Significant negative effect on AA
Urban residential	·	
Industrial/commercial		
Military training/Air traffic		
Dams (or other major flow regulation or disruption)	· · · · · · · · · · · · · · · · · · ·	
Dryland farming	9 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	
Intensive row-crop agriculture		
Orchards/nurseries		
Commercial feedlots		
Dairies		
Ranching (enclosed livestock grazing or horse paddock or feedlot)		
Transportation corridor	Х	X
Rangeland (livestock rangeland also managed for native vegetation)	<u> </u>	
Sports fields and urban parklands (golf courses, soccer fields, etc.)	· · · · · · · · · · · · · · · · · · ·	
Passive recreation (bird-watching, hiking, etc.)		
Active recreation (off-road vehicles, mountain biking, hunting, fishing)		
Physical resource extraction (rock, sediment, oil/gas)		
Biological resource extraction (aquaculture, commercial fisheries)		
Comments		

## Basic Information Sheet: Riverine Wetlands

Assessment Area Name: AA #11 (PR-AAII)
Project Name:
Assessment Area ID #:
Project ID #: Date: 6/3/24
Assessment Team Members for This AA:
Schliebe; Batiok
,
Average Bankfull Width:
Approximate Length of AA (10 times bankfull width, min 100 m, max 200 m):
Upstream Point Latitude: 34,65 095 Longitude: -118,366725
Downstream Point Latitude: 34,651836 Longitude: -118.366432
Wetland Sub-type:
🗷 Confined 🗆 Non-confined
AA Category:
☐ Restoration ☐ Mitigation ☐ Impacted ☐ Ambient ☐ Reference ☐ Training
□ Other:
Did the river/stream have flowing water at the time of the assessment?   yes  no
What is the apparent hydrologic flow regime of the reach you are assessing?
The hydrologic flow regime of a stream describes the frequency with which the channel conducts water. Perennial streams conduct water all year long, whereas ephemeral streams conduct water only during and immediately following precipitation events. Intermittent streams are dry for part of the year, but conduct water for periods longer than ephemeral streams, as a function of watershed size and water source.
□ perennial □ intermittent ☒ ephemeral

	Photo ID No.	Description	Latitude	Longitude	Datum
		Upstream			
2		Middle Left			
		Middle Right	·		
.		Downstream			
	0 1 100				
	2000.00				
'			7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		
			300000.6600		
0				23 27 (2000)	
te I	Location Des	scription:			÷
te I	Location Des	scription:			·
te I	Location Des	scription:			·
te I	Location Des	scription:			·
te I	Location Des	cription:			
		scription:	,		
	Location Des	scription:			·
		cription:	•		
		cription:			

#### Percent of AA with Buffer Worksheet

In the space provided below make a quick sketch of the AA, or perform the assessment directly on the aerial imagery; indicate where buffer is present, estimate the percentage of the AA perimeter providing buffer functions, and record the estimate amount in the space provided.

#### Structural Patch Type Worksheet for Riverine wetlands

Circle each type of patch that is observed in the AA and enter the total number of observed patches in Table below. In the case of riverine wetlands, their status as confined or non-confined must first be determined (see page 6) to determine with patches are expected in the system (indicated by a "1" in the table below). Any feature onsite should only be counted once as a patch type, If a feature appears to meet the definition of more than one patch type (i.e. swale and secondary channel) the practitioner should choose which patch type best illustrates the feature. Not all features at a site will be patch types.

\*Please refer to the CRAM Photo Dictionary at num.crammetlands.org for photos of each of the following patch types.

#### Worksheet for AA Topographic Complexity

At three locations along the AA, make a sketch of the profile of the stream from the AA boundary down to its deepest area then back out to the other AA boundary. Try to capture the benches and the intervening micro-topographic relief. To maintain consistency, make drawings at each of the stream hydrologic connectivity measurements, always facing downstream. Include the water level, an arrow at the bankfull contour, and label the benches. Based on these sketches and the profiles in Figure 10, choose a description in Table 16 that best describes the overall topographic complexity of the AA.

#### Plant Community Metric Worksheet: Co-dominant species richness for Riverine wetlands (A dominant species represents ≥10% relative cover)

Special Note:

\* Combine the counts of co-dominant species from all layers to identify the total species count. Each plant species is only counted once when calculating the Number of Co-dominant Species and Percent Invasion submetric scores, regardless of the numbers of layers in which it occurs.

#### Horizontal Interspersion Worksheet.

Use the spaces below to make a quick sketch of the AA in plan view, outlining the major plant zones (this should take no longer than 10 minutes). Assign the zones names and record them on the right. Based on the sketch, choose a single profile from Figure 12 that best represents the AA overall.

#### Ex. 4 CBI

#### Worksheet for Wetland disturbances and conversions

Has a major disturbance occurred at this wetland?	Yes	No.	ting :	The second second second second
If yes, was it a flood, fire, landslide, or other?	flood	fire	landslic	le other
If yes, then how severe is the disturbance?	likely to affect site next 5 or more years	1 "	1	ikely to affect site next 1-2 years
Has this wetland been converted from another type? If yes, then what was the previous type?	depressional	vernal po	ol	vernal pool system
	non-confined	d confine riverine	- 1	seasonal estuarine
	perennial salir estuarine	, -	perennial non- saline estuarine wet n	
	lacustrine	seep or spi	ring	playa


#### Stressor Checklist Worksheet

HYDROLOGY ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Point Source (PS) discharges (POTW, other non-stormwater discharge)		
Non-point Source (Non-PS) discharges (urban runoff, farm drainage)		
Flow diversions or unnatural inflows		
Dams (reservoirs, detention basins, recharge basins)		
Flow obstructions (culverts, paved stream crossings)	<u>×</u>	
Weir/dtop structure, tide gates		
Dredged inlet/channel		
Engineered channel (riprap, armored channel bank, bed)		
Dike/levees		
Groundwater extraction		
Ditches (borrow, agricultural drainage, mosquito control, etc.)		
Actively managed hydrology		
Comments		
• • • • • • • • • • • • • • • • • • • •		


PHYSICAL STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Filling or dumping of sediment or soils (N/A for restoration areas)		
Grading/ compaction (N/A for restoration areas)		
Plowing/Discing (N/A for restoration areas)		
Resource extraction (sediment, gravel, oil and/or gas)		
Vegetation management		
Excessive sediment or organic debris from watershed		
Excessive runoff from watershed		
Nutrient impaired (PS or Non-PS pollution)		
Heavy metal impaired (PS or Non-PS pollution)		
Pesticides or trace organics impaired (PS or Non-PS pollution)		
Bacteria and pathogens impaired (PS or Non-PS pollution)		
Trash or refuse	-	
Comments		,

BIOTIC STRUCTURE ATTRIBUTE (WITHIN 50 M OF AA)	Present	Significant negative effect on AA
Mowing, grazing, excessive herbivory (within AA)		
Excessive human visitation		
Predation and habitat destruction by non-native vertebrates (e.g., Virginia opossum and domestic predators, such as feral pets)	·	
Tree cutting/sapling removal		
Removal of woody debris		
Treatment of non-native and nuisance plant species		
Pesticide application of vector control		
Biological resource extraction or stocking (fisheries, aquaculture)	<b></b>	
Excessive organic debris in matrix (for vernal pools)		
Lack of vegetation management to conserve natural resources		
Lack of treatment of invasive plants adjacent to AA or buffer	×	
Comments		
		· · · · · · · · · · · · · · · · · · ·


BUFFER AND LANDSCAPE CONTEXT ATTRIBUTE (WITHIN 500 M OF AA)	Present	Significant negative effect on AA
Urban residential	:	
Industrial/commercial		
Military training/Air traffic		
Dams (or other major flow regulation or disruption)	······································	
Dryland farming	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Intensive row-crop agriculture		
Orchards/nurseries		
Commercial feedlots		
Dairies		
Ranching (enclosed livestock grazing or horse paddock or feedlot)		
Transportation corridor		
Rangeland (livestock rangeland also managed for native vegetation)		
Sports fields and urban parklands (golf courses, soccer fields, etc.)		
Passive recreation (bird-watching, hiking, etc.)		
Active recreation (off-road vehicles, mountain biking, hunting, fishing)	<del></del>	
Physical resource extraction (rock, sediment, oil/gas)		
Biological resource extraction (aquaculture, commercial fisheries)	***************************************	
Comments		
	***************************************	
































## Ex. 4 CBI







## Ex. 4 CBI








Petersen Ranch PP-1 looking north on March 9, 2016




Petersen Ranch PP-1 looking north on April 13, 2017




Petersen Ranch PP-1 looking north on May 17, 2018



Petersen Ranch PP-1 looking north on May 15, 2019




Petersen Ranch PP-1 looking north on May 21, 2020




Petersen Ranch PP-1 looking north on June 3, 2021






Petersen Ranch PP-1 looking east on March 9, 2016



Petersen Ranch PP-1 looking east on April 13, 2017




Petersen Ranch PP-1 looking east on May 17, 2018



Petersen Ranch PP-1 looking east on May 15, 2019



Petersen Ranch PP-1 looking east on May 21, 2020




Petersen Ranch PP-1 looking east on June 3, 2021






Petersen Ranch PP-1 looking south on March 9, 2016




Petersen Ranch PP-1 looking south on April 13, 2017




Petersen Ranch PP-1 looking south on May 17, 2018



Petersen Ranch PP-1 looking south on May 15, 2019




Petersen Ranch PP-1 looking south on May 21, 2020




Petersen Ranch PP-1 looking south on June 3, 2021






Petersen Ranch PP-1 looking west on March 9, 2016




Petersen Ranch PP-1 looking west on April 13, 2017



Petersen Ranch PP-1 looking west on May 17, 2018



Petersen Ranch PP-1 looking west on May 15, 2019




Petersen Ranch PP-1 looking west on May 21, 2020




Petersen Ranch PP-1 looking west on June 3, 2021






Petersen Ranch PP-2 looking south on March 9, 2016




Petersen Ranch PP-2 looking south on April 13, 2017




Petersen Ranch PP-2 looking south on May 17, 2018



Petersen Ranch PP-2 looking south on May 15, 2019




Petersen Ranch PP-2 looking south on May 15, 2020




Petersen Ranch PP-2 looking south on June 3, 2021







Petersen Ranch PP-2 looking southwest on March 9, 2016




Petersen Ranch PP-2 looking southwest on April 13, 2017




Petersen Ranch PP-2 looking southwest on May 17, 2018



Petersen Ranch PP-2 looking southwest on May 15, 2019




Petersen Ranch PP-2 looking southwest on May 15, 2020




Petersen Ranch PP-2 looking southwest on June 3, 2021







Petersen Ranch PP-3 looking northwest on March 9, 2016




Petersen Ranch PP-3 looking northwest on April 13, 2017




Petersen Ranch PP-3 looking northwest on May 17, 2018



Petersen Ranch PP-3 looking northwest on May 17, 2019




Petersen Ranch PP-3 looking northwest on May 15, 2020




Petersen Ranch PP-3 looking northwest on June 3, 2021





Petersen Ranch PP-4 looking north-northwest on March 9, 2016



Petersen Ranch PP-4 looking north-northwest on April 13, 2017



Petersen Ranch PP-4 looking north-northwest on May 17, 2018



Petersen Ranch PP-4 looking north-northwest on May 17, 2019




Petersen Ranch PP-4 looking north-northwest on May 15, 2020



Petersen Ranch PP-4 looking north-northwest on June 3, 2021






Petersen Ranch PP-4 looking east on March 9, 2016



Petersen Ranch PP-4 looking east on April 13, 2017



Petersen Ranch PP-4 looking east on May 17, 2018



Petersen Ranch PP-4 looking east on May 17, 2019



Petersen Ranch PP-4 looking east on May 15, 2020



Petersen Ranch PP-4 looking east on June 3, 2021






Petersen Ranch PP-4 looking southeast on March 9, 2016



Petersen Ranch PP-4 looking southeast on April 13, 2017



Petersen Ranch PP-4 looking southeast on May 17, 2018



Petersen Ranch PP-4 looking southeast on May 17, 2019




Petersen Ranch PP-4 looking southeast on May 15, 2020




Petersen Ranch PP-4 looking southeast on June 3, 2021







Petersen Ranch PP-4 looking southwest on March 9, 2016



Petersen Ranch PP-4 looking southwest on April 13, 2017




Petersen Ranch PP-4 looking southwest on May 17, 2018



Petersen Ranch PP-4 looking southwest on May 17, 2019




Petersen Ranch PP-4 looking southwest on May 15, 2020



Petersen Ranch PP-4 looking southwest on June 3, 2021







Petersen Ranch PP-5 looking southeast on March 9, 2016



Petersen Ranch PP-5 looking southeast on April 13, 2017




Petersen Ranch PP-5 looking southeast on May 17, 2018



Petersen Ranch PP-5 looking southeast on May 17, 2019




Petersen Ranch PP-5 looking southeast on May 11, 2020




Petersen Ranch PP-5 looking southeast on June 3, 2021







Petersen Ranch PP-5 looking south on March 9, 2016




Petersen Ranch PP-5 looking south on April 13, 2017




Petersen Ranch PP-5 looking south on May 17, 2018



Petersen Ranch PP-5 looking south on May 17, 2019




Petersen Ranch PP-5 looking south on May 11, 2020



Petersen Ranch PP-5 looking south on June 3, 2021







Petersen Ranch PP-5 looking southwest on March 9, 2016



Petersen Ranch PP-5 looking southwest on April 13, 2017




Petersen Ranch PP-5 looking southwest on May 17, 2018



Petersen Ranch PP-5 looking southwest on May 15, 2019




Petersen Ranch PP-5 looking southwest on May 11, 2020




Petersen Ranch PP-5 looking southwest on June 3, 2021






Petersen Ranch PP-6 looking northwest on March 9, 2016




Petersen Ranch PP-6 looking northwest on April 13, 2017




Petersen Ranch PP-6 looking northwest on May 17, 2018



Petersen Ranch PP-6 looking northwest on May 15, 2019




Petersen Ranch PP-6 looking northwest on May 11, 2020




Petersen Ranch PP-6 looking northwest on June 3, 2021







Petersen Ranch PP-7 looking northwest on March 9, 2016




Petersen Ranch PP-7 looking northwest on April 13, 2017




Petersen Ranch PP-7 looking northwest on May 17, 2018



Petersen Ranch PP-7 looking northwest on May 15, 2019




Petersen Ranch PP-7 looking northwest on May 15, 2020




Petersen Ranch PP-7 looking northwest on June 3, 2021






Petersen Ranch PP-7 looking east on March 9, 2016



Petersen Ranch PP-7 looking east on April 13, 2017




Petersen Ranch PP-7 looking east on May 17, 2018



Petersen Ranch PP-7 looking east on May 15, 2019




Petersen Ranch PP-7 looking east on May 15, 2020



Petersen Ranch PP-7 looking east on June 3, 2021






Petersen Ranch PP-7 looking southeast on March 9, 2016




Petersen Ranch PP-7 looking southeast on April 13, 2017




Petersen Ranch PP-7 looking southeast on May 17, 2018



Petersen Ranch PP-7 looking southeast on May 15, 2019




Petersen Ranch PP-7 looking southeast on May 15, 2020




Petersen Ranch PP-7 looking southeast on June 3, 2021







Petersen Ranch PP-7 looking west on March 9, 2016




Petersen Ranch PP-7 looking west on April 13, 2017




Petersen Ranch PP-7 looking west on May 17, 2018



Petersen Ranch PP-7 looking west on May 15, 2019




Petersen Ranch PP-7 looking west on May 15, 2020



Petersen Ranch PP-7 looking west on June 3, 2021






Petersen Ranch PP-8 looking east on March 9, 2016



Petersen Ranch PP-8 looking east on April 13, 2017



Petersen Ranch PP-8 looking east on May 17, 2018



Petersen Ranch PP-8 looking east on May 15, 2019



Petersen Ranch PP-8 looking east on May 11, 2020




Petersen Ranch PP-8 looking east on June 3, 2021






Petersen Ranch PP-8 looking southwest on March 9, 2016




Petersen Ranch PP-8 looking southwest on April 13, 2017




Petersen Ranch PP-8 looking southwest on May 17, 2018



Petersen Ranch PP-8 looking southwest on May 15, 2019




Petersen Ranch PP-8 looking southwest on May 11, 2020




Petersen Ranch PP-8 looking southwest on June 3, 2021






Petersen Ranch PP-8 looking west on March 9, 2016




Petersen Ranch PP-8 looking west on April 13, 2017




Petersen Ranch PP-8 looking west on May 17, 2018



Petersen Ranch PP-8 looking west on May 15, 2019



Petersen Ranch PP-8 looking west on May 11, 2020




Petersen Ranch PP-8 looking west on June 3, 2021





Petersen Ranch PP-9 looking southeast on March 9, 2016



Petersen Ranch PP-9 looking southeast on April 13, 2017




Petersen Ranch PP-9 looking southeast on May 17, 2018



Petersen Ranch PP-9 looking southeast on May 15, 2019



Petersen Ranch PP-9 looking southeast on May 11, 2020




Petersen Ranch PP-9 looking southeast on June 3, 2021





Petersen Ranch PP-9 looking south on March 9, 2016



Petersen Ranch PP-9 looking south on April 13, 2017




Petersen Ranch PP-9 looking south on May 17, 2018



Petersen Ranch PP-9 looking south on May 15, 2019



Petersen Ranch PP-9 looking south on May 11, 2020



Petersen Ranch PP-9 looking south on June 3, 2021

